



Petronet LNG Limited

GIDC Industrial Estate, Plot No. 7/A, Dahej,
Taluka : Vagra, Dist. Bharuch (Gujarat) - 392 130 (India)
Tel.: 02641 - 670200 / 257
www.petronetlng.com
CIN: L74899DL 199PLCO93073

Ref.: PLL/DHJ/HSE/GPCB/2026/01

Date: 20th Jan 2026

GPCB BMW XGN ID No: 405516

To

Gujarat Pollution Control Board
C-1\119\3, GIDC, Phase – 2
Narmadanagar
Bharuch - 392015
Gujarat

Subject: Annual Report Form-IV as per Bio Medical Waste Management Rules 2016

Dear Sir,

We are enclosing herewith the Annual Report Form-IV as per Bio Medical Waste Management Rules 2016 for the period January 2025 to December 2025 for your information and records.

Thanking you,

Yours faithfully,

Mr. Sushil Machhi
Chief Manager - (HSE)
Petronet LNG Limited
Dahej-392130

Authorized Signatory
For Petronet LNG Ltd

Encl. As above

Post Received
23.01.26
Gujarat Pollution Control Board
BHARUCH

Regd. Off.:

World Trade Centre First Floor, Babar Road,
Sarakhamba Lane, New Delhi- 110 001 (INDIA)
Tel.: 011 - 23472525, 23411411 Fax : +91-11-23709114

Kochi Site :

Survey No. 347, Puthuvypu
P.O. 682508, Kochi (INDIA)
Tel. : 0484-2502268

Form - IV
(See rule 13)

ANNUAL REPORT FOR THE PERIOD JAN 2025 TO DECEMBER 2025

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl No	Particulars	
1	Particulars of the Occupier	
	(i) Name of the authorized person (occupier or operator of facility)	: MR SANJAY KUMAR GGM & PRESIDENT (PLANT HEAD)
	(ii) Name of HCF or CBMWTF	: OCCUPATIONAL HEALTH CENTER(OHC) PETRONET LNG LIMITED
	(iii) Address for Correspondence	: Plot 7-A, GIDC Industrial Estate Taluka Vagra, Dahej – 392130 Bharuch District.
	(iv) Address of Facility	: Plot 7-A, GIDC Industrial Estate Taluka Vagra, Dahej – 392130 Bharuch District.
	(v) Tel. No, Fax. No	: 02641-670256/252/253/254
	(vi) E-mail ID	: smachhi@petronetlng.in
	(vii) URL of Website	: www.petronetlng.in
	(viii) GPS coordinates of HCF or CBMWTF	: 21° 40' 43 " N 72° 32' 21 " N
	(ix) Ownership of HCF or CBMWTF	: Private Sector
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	: Authorization No : BMW-360058 Valid up to: 31/12/2075
	(xi). Status of Consents under Water Act and Air Act	: Not Applicable
2	Type of Health Care Facility	
	(i) Bedded Hospital	: N.A.
	(ii) Non-bedded hospital (Clinic or Blood Bank or Research Institute or other)	: N.A.
	(iii) License number and its date of expiry	: Factory Licence No 23928 Valid up to 31/12/2026
3	Details of CBMWTF	: Not Applicable
	(i) Number healthcare facilities covered by CBMWTF	: N.A.
	(ii) No of beds covered by CBMWTF	: N.A.
	(iii) Installed treatment and disposal capacity of CBMWTF	: N.A.
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	: N.A.

4	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category : 9.580 Kg																																																
		:	Red Category : 0.183 Kg																																																
		:	White : Nil																																																
		:	Blue Category : 0.031 Kg																																																
		:	General Solid waste: N.A.																																																
5	Details of the Storage, treatment, transportation, processing and Disposal Facility																																																		
	(i) Details of the on-site storage facility	:	Size: N.A.																																																
		:	Capacity : N.A.																																																
		:	Provision of on –site storage: (cold storage or any other provision) N.A.																																																
	(ii) disposal facilities	:	<table border="1"> <thead> <tr> <th>Type of treatment equipment</th> <th>No of Units</th> <th>Capacity Kg/Day</th> <th>Quantity treated or disposed in Kg per annum</th> </tr> </thead> <tbody> <tr> <td>Incinerators</td> <td>N.A.</td> <td></td> <td></td> </tr> <tr> <td>Plasma Pyrolysis</td> <td>N.A.</td> <td></td> <td></td> </tr> <tr> <td>Autoclaves</td> <td>01</td> <td></td> <td>As per requirement</td> </tr> <tr> <td>Microwave</td> <td>N.A.</td> <td></td> <td></td> </tr> <tr> <td>Hydroclave</td> <td>N.A.</td> <td></td> <td></td> </tr> <tr> <td>Shredder</td> <td>N.A.</td> <td></td> <td></td> </tr> <tr> <td>Needle tip cutter or destroyer</td> <td>01</td> <td></td> <td>As per requirement</td> </tr> <tr> <td>Sharps encapsulation or concrete pit</td> <td>N.A.</td> <td></td> <td></td> </tr> <tr> <td>Deep burial pits:</td> <td>N.A.</td> <td></td> <td></td> </tr> <tr> <td>Chemical Disinfection</td> <td>01</td> <td></td> <td>As per requirement</td> </tr> <tr> <td>Any other treatment equipment:</td> <td>N.A.</td> <td></td> <td></td> </tr> </tbody> </table>	Type of treatment equipment	No of Units	Capacity Kg/Day	Quantity treated or disposed in Kg per annum	Incinerators	N.A.			Plasma Pyrolysis	N.A.			Autoclaves	01		As per requirement	Microwave	N.A.			Hydroclave	N.A.			Shredder	N.A.			Needle tip cutter or destroyer	01		As per requirement	Sharps encapsulation or concrete pit	N.A.			Deep burial pits:	N.A.			Chemical Disinfection	01		As per requirement	Any other treatment equipment:	N.A.		
Type of treatment equipment	No of Units	Capacity Kg/Day	Quantity treated or disposed in Kg per annum																																																
Incinerators	N.A.																																																		
Plasma Pyrolysis	N.A.																																																		
Autoclaves	01		As per requirement																																																
Microwave	N.A.																																																		
Hydroclave	N.A.																																																		
Shredder	N.A.																																																		
Needle tip cutter or destroyer	01		As per requirement																																																
Sharps encapsulation or concrete pit	N.A.																																																		
Deep burial pits:	N.A.																																																		
Chemical Disinfection	01		As per requirement																																																
Any other treatment equipment:	N.A.																																																		
	(iii) Quantity of recyclable waste sold to authorized recyclers after treatment in Kg per annum	:	Red Category (like plastic, glass etc.) N.A.																																																
	(iv) No of vehicles used for collection and transportation of biomedical wastes	:	Provided by collecting agency.																																																
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	:	<table border="1"> <thead> <tr> <th></th> <th>Quantity Generated</th> <th>Where Disposed</th> </tr> </thead> <tbody> <tr> <td>Incineration Ash</td> <td colspan="2">Not Applicable</td> </tr> <tr> <td>ETP Sludge</td> <td colspan="2">Not Applicable</td> </tr> </tbody> </table>		Quantity Generated	Where Disposed	Incineration Ash	Not Applicable		ETP Sludge	Not Applicable																																								
	Quantity Generated	Where Disposed																																																	
Incineration Ash	Not Applicable																																																		
ETP Sludge	Not Applicable																																																		
	(vi) Name of common bio medical	:	GLOBE BIO CARE, ANKLESHWAR																																																

	waste treatment facility operator through which wastes are disposed off		
	(vii) List of member HCF not handed over bio-medical waste.	:	Nil
6	Do you have bio medical waste management committee? If Yes , attach minutes of the meeting held during the reporting period.	:	Yes
7	Details trainings conducted on BMW		
	i) Number of trainings conducted on BMW Management.	:	02
	(ii) number of personnel trained	:	12
	iii) number of personnel trained at the time of induction	:	12
	iv) number of personnel not undergone any training so far	:	Nil
	v) whether standard manual for training is available?	:	Yes
	(vi) any other information)		--
8	Details of the accident occurred during the year	:	No Accident during the year
	(i) Number of Accidents occurred	:	Nil
	(ii) Number of the persons affected	:	Nil
	(iii) Remedial Action taken (Please attach details if any)	:	N.A.
	(iv) Any Fatality occurred, details.	:	Nil
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards in a year?	:	Not Applicable
	Details of Continuous online emission monitoring systems installed.	:	N.A.
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	:	Not Applicable
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	:	Not Applicable
12	Any other relevant information	:	(Air Pollution Control Devices attached with the incinerator) Not Applicable

Certified that the above report is for the period from Jan 2025 to December 2025

Date : 20.01.2026

Place: Dahej

Name and Signature of the Head of the Institution



Mr. Sushil Machhi

Chief Manager - (HSE)

Petronet LNG Limited

Dahej-392130

3 of 3

Minutes of the BMW Management Committee Meeting

Date - 15/05/2015

BMW Management committee meeting was held at Security Conference Room of Petronet LNG Ltd, Dahej.

Following members were present

1. Braja Gopal Saha (Mgr), Security
2. Mr. Sushil Machhi, (Chief Mgr), In charge HSE
3. Dr Hemraj, FMO

The committee met and discussed followed points:

- i. The Bio medical waste disposal system frequency was reviewed and checked whether it was as per established norms of Bio medical waste management rules 2019. On inspection of records, it was found that Bio medical waste disposal was within prescribed limit of 48 hours.
- ii. Training record on Bio medical waste for staff handling bio medical waste was checked. It was reiterated that training on BMW must also emphasize on safety issues while handling Bio medical waste.
- iii. The license validity of agency handling bio medical waste was checked and it was found valid.
- iv. Field visit was done jointly by the committee members and it was found that the bio medical waste was segregated and stored as per norms in different color coded waste bins. The availability of the bio medical waste management resources was also found adequate.

Dr. Hemraj P Thakor
FMO

Mr. Sushil Machhi
(Chief Mgr), In charge HSE

Mr. Braja Gopal Saha
(Sr.Mgr), Security

Minutes of the BMW Management Committee Meeting

Date - 18/12/2025

BMW Management committee meeting was held at Security Conference Room of Petronet LNG Ltd, Dahej.

Following members were present

1. Mr. Sushil Machhi, (Chief Mgr), In charge HSE
2. Mr. Braja Gopal Saha, (Sr.Mgr), Security
3. Dr Hemraj, FMO

The committee met and discussed followed points:

- i. The license validity of OHC for bio medical waste management was checked and it was found that the BMW authorization was till 31/12/2025. The license validity for M/s Globe Bio care, the agency for handling and disposal of Bio medical waste was till 31/12/2025.
- ii. It was reiterated that Occupational safety of all health care workers involved in handling of bio medical waste management must be ensured. Training on BMW must also emphasize on safety issues while handling Bio medical waste.
- iii. During the field visit to the OHC Centre by committee members, it was checked and found that the segregation of waste was as per BMW Rules 2019. On inspection of records, it was found that Bio medical waste handling and disposal was within prescribed limit.


Dr. Hemraj P Thakor
FMO


Mr. Sushil Machhi
(Chief Mgr), In charge HSE


Mr. Braja Gopal Saha
(Sr.Mgr), Security