



# Petronet LNG Limited

Dahej LNG Terminal

Plot No. 7/A GIDC Industrial Estate, Dahej  
Taluka-Vagra, Dist. Bharuch - 392130, Gujarat

Tel.: +91-2641-257249

CIN: L74899DL199PLCO93073

REF: PLL/DHJ/PROJ/MoEF/2026/19

Date: 29.05.2026

To,

Director,  
Ministry of Environment, Forest and Climate Change  
Indira Paryavaran Bhawan,  
Jorbagh Road, New Delhi – 110003

Sub : Six Monthly Compliance Report for the period from October, 2025 to March, 2026 w.r.t conditions mentioned in MOE&F (Issued By SEIAA, Gujarat) Letter No. SEIAA/GUJ/EC/8(A)/94/2023 dtd. 25<sup>th</sup> January, 2023 with EC identification no. EC23B038GJ112019 dtd: 1<sup>st</sup> February, 2023 for Construction of "Affordable Rental Housing Complex" at Plot No. 1 (R.S. No. ZP), Village: Eksal, Taluka: Vagra, District: Bharuch, Gujarat proposed by M/s. Petronet LNG Ltd. as on 31<sup>st</sup> March, 2026.

Ref : (a) Letter No. SEIAA/GUJ/EC/8(A)/94/2023 Dtd. 25<sup>th</sup> January, 2023  
(b) EC Identification No. EC23B038GJ112019 Dtd: 01<sup>st</sup> February, 2023

Dear Sir,

With reference to be above subject, Six Monthly Compliance Report for the period from October, 2025 to March, 2026 with respect to conditions stipulated by Ministry of Environment & Forests (Issued By SEIAA, Gujarat) for Construction of "Affordable Rental Housing Complex" at Plot No. 1 (R.S. No. ZP), Village: Eksal, Taluka: Vagra, District: Bharuch, Gujarat proposed by M/s. Petronet LNG Ltd as on 31<sup>st</sup> March, 2026 is uploaded in "PARIVESH 2" portal.

This is for your information and reference.

Thanking you,

Yours faithfully,

For Petronet LNG Limited

*Nishant Patel*  
29/05/2026  
Nishant Patel  
CGM & Vice President (Projects)

Encl.: As above

Copy to:-

- 1) Director (Environment)  
Forests & Environment Department,  
Government of Gujarat,  
Block No. 14, 8<sup>th</sup> Floor, Sachivalaya,  
Gandhinagar – 382 010
- 3) Unit Head - Bharuch Division  
Gujarat Pollution Control Board  
Paryavaran Bhavan, Sector-10 A  
GANDHINAGAR – 382 010 (Gujarat)
- 5) Executive Engineer -  
Gujarat Industrial Development Corp.(GIDC)  
2nd Floor, Narmada Commercial Complex,  
Near Panchbatti Circle,  
Bharuch, Gujarat 392001

- 2) The Regional Office (MoEF & CC)  
Karamyogi Bhawan,  
Block-3, F-2 Wing, 5<sup>th</sup> Floor,  
Nr CH-3 Circle, Sector 10A  
Gandhinagar-382010
- 4) Regional Officer  
Gujarat Pollution Control Board  
C-1\119\3, GIDC, Phase – 2, Narmada Nagar  
Bharuch – 392015 (Gujarat)

Regd. Office:

4<sup>th</sup> Floor, Tower-I World Trade Centre  
Nauroji Nagar, New Delhi – 110029  
Tel.: +91-11 71233525

Kochi LNG Terminal

Survey No.: 347, Puthuvypu  
PO. 682508, Kochi, Kerala  
Tel.: +91-484-2502268

# EC Compliance Report

## Half Yearly Compliance Report

2026

01 Jun(01 Oct - 31 Mar)

### Acknowledgement

|                                          |                        |                                          |                      |
|------------------------------------------|------------------------|------------------------------------------|----------------------|
| <b>Proposal Name</b>                     |                        | Affordable Rental Housing Complex (ARHC) |                      |
| <b>Name of Entity / Corporate Office</b> |                        | Petronet LNG Limited                     |                      |
| <b>Village(s)</b>                        |                        | N/A                                      |                      |
| <b>District</b>                          |                        | BHARUCH                                  |                      |
| <b>Proposal No.</b>                      | SIA/GJ/MIS/287193/2022 | <b>Category</b>                          | INFRA-2              |
| <b>Plot / Survey / Khasra No.</b>        | N/A                    | <b>Sub-District</b>                      | N/A                  |
| <b>State</b>                             | GUJARAT                | <b>Entity's PAN</b>                      | *****8148D           |
| <b>MoEF File No.</b>                     | SIA/GJ/139308/2022     | <b>Entity name as per PAN</b>            | PETRONET LNG LIMITED |

### Compliance Reporting Details

|                         |                                                                          |
|-------------------------|--------------------------------------------------------------------------|
| <b>Reporting Year</b>   | 2026                                                                     |
| <b>Remarks (if any)</b> | Six Monthly Compliance Report of ARHC for the period of June 25-March 26 |
| <b>Reporting Period</b> | 01 Jun(01 Oct - 31 Mar)                                                  |

### Details of Production and Project Area

|                                          |                                       |                                          |  |
|------------------------------------------|---------------------------------------|------------------------------------------|--|
| <b>Name of Entity / Corporate Office</b> |                                       | Petronet LNG Limited                     |  |
|                                          | <b>Project Area as per EC Granted</b> | <b>Actual Project Area in Possession</b> |  |
| Private                                  | 2.50                                  | 2.50                                     |  |
| Revenue Land                             | 0                                     | 0                                        |  |
| Forest                                   | 0                                     | 0                                        |  |
| Others                                   | N/A                                   | N/A                                      |  |
| Total                                    | 2.5                                   | 2.5                                      |  |

### Others Area

|        |            |              |             |
|--------|------------|--------------|-------------|
| Sr. no | Other Name | Area Granted | Area Actual |
|--------|------------|--------------|-------------|

### Production Capacity

| Sr. no | Product Name              | units     | Valid Upto | Capacity | Production last year | Capacity as per CTO |
|--------|---------------------------|-----------|------------|----------|----------------------|---------------------|
| 1      | Flats<br>(Dwelling Units) | Others:EA | N/A        | 624      | NA                   | 624                 |

## Conditions

### Specific Conditions

| Sr.No.                                                                                                                                                                                                 | Condition Type                            | Condition Details                                                                                                                                                                                                                    |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1                                                                                                                                                                                                      | WATER QUALITY MONITORING AND PRESERVATION | No ground water should be tapped during the operational stage..                                                                                                                                                                      |
| <b>PPs Submission:</b> Complied<br>Currently Project is under construction stage and no ground water will be tapped during construction and operation stage. Condition is noted and shall be complied. |                                           | Date:<br>30/05/2026                                                                                                                                                                                                                  |
| 2                                                                                                                                                                                                      | WASTE MANAGEMENT                          | PP shall provide STP of 350 KLD capacity. The treated domestic wastewater of 154 KLD shall be used for Gardening and plantation purpose within premises. storage tanks with pipeline infrastructure, along with adequate sprinklers. |
| <b>PPs Submission:</b> Complied<br>Requirement of STP treated water usage in gardening and plantation shall be complied once construction is completed, and complex is under operations.               |                                           | Date:<br>30/05/2026                                                                                                                                                                                                                  |
| 3                                                                                                                                                                                                      | MISCELLANEOUS                             | PP shall provide adequate parking area.                                                                                                                                                                                              |
| <b>PPs Submission:</b> Complied<br>Adequate parking area has been defined for the project and shall be adhered to once complex is under operation.                                                     |                                           | Date:<br>30/05/2026                                                                                                                                                                                                                  |
| 4                                                                                                                                                                                                      | MISCELLANEOUS                             | The Total height of each Block shall not exceed of 12.65 meter, in any case.                                                                                                                                                         |
| <b>PPs Submission:</b> Complied<br>Condition is noted and is being ensured that the maximum height of each block shall not exceed 12.65M.                                                              |                                           | Date:<br>30/05/2026                                                                                                                                                                                                                  |
| 5                                                                                                                                                                                                      | WASTE MANAGEMENT                          | Necessary permission for discharging of treated domestic wastewater in BAUDA drainage must be obtained.                                                                                                                              |
| <b>PPs Submission:</b> Complied<br>Currently Project is under construction stage. Condition is noted and shall be complied during operations.                                                          |                                           | Date:<br>30/05/2026                                                                                                                                                                                                                  |
| 6                                                                                                                                                                                                      | WATER QUALITY MONITORING AND PRESERVATION | Fresh water requirement during the construction phase shall not exceed 23 KLD and it shall be met through tanker. No ground water shall be tapped during the construction phase.                                                     |
| <b>PPs Submission:</b> Complied<br>Currently Project is under construction stage and no ground water tapping has been taken and requirement is being met through tankers within specified limits.      |                                           | Date:<br>30/05/2026                                                                                                                                                                                                                  |
| 7                                                                                                                                                                                                      | WASTE MANAGEMENT                          | Sewage generated during the construction phase shall be disposed                                                                                                                                                                     |

|                                                                                                                                                                                                                                             |                                           |                                                                                                                                                                                                                                                                                                                                                                                 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                                                                                                                             |                                           | of through Soak Pit.                                                                                                                                                                                                                                                                                                                                                            |
| <b>PPs Submission:</b> Complied<br>Condition is noted and is being complied.                                                                                                                                                                |                                           | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                             |
| 8                                                                                                                                                                                                                                           | MISCELLANEOUS                             | Explore possibilities of provision of mobile toilets in construction phase.                                                                                                                                                                                                                                                                                                     |
| <b>PPs Submission:</b> Complied<br>Mobile toilet has been provided at site during construction phase.                                                                                                                                       |                                           | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                             |
| 9                                                                                                                                                                                                                                           | MISCELLANEOUS                             | Project Proponent shall obtain Fire opinion/provisional fire NOC from the concern authority as per the prevailing Rules / Gujarat Fire Prevention and Life Safety Measures Act' 2016.                                                                                                                                                                                           |
| <b>PPs Submission:</b> Complied<br>Condition is noted and applicable compliance shall be ensured.                                                                                                                                           |                                           | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                             |
| 10                                                                                                                                                                                                                                          | Statutory compliance                      | The project proponent shall obtain registration of the establishment under the building and other Construction Workers' (Regulation of Employment and Conditions of Service) Act 1996 and shall comply with the provisions of the Act for the safety, health and welfare of construction workers.                                                                               |
| <b>PPs Submission:</b> Complied<br>BOCW registration has been obtained and complied                                                                                                                                                         |                                           | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                             |
| 11                                                                                                                                                                                                                                          | Statutory compliance                      | The project proponent shall obtain registration of the construction workers as beneficiaries with the Gujarat Building and Other Construction Workers Welfare Board.                                                                                                                                                                                                            |
| <b>PPs Submission:</b> Complied<br>BOCW registration has been obtained and complied                                                                                                                                                         |                                           | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                             |
| 12                                                                                                                                                                                                                                          | WATER QUALITY MONITORING AND PRESERVATION | Total water requirement during the operation phase shall not exceed 408 KLD, out of which freshwater requirement of 255 KLD shall be met through GIDC and the remaining 154 KLD of water requirement shall be met through treated sewage. No ground water shall be tapped during the operation phase. Metering of the water shall be done, and its records shall be maintained. |
| <b>PPs Submission:</b> Complied<br>Condition is noted and shall be complied during operations. Ground water shall not be tapped during operation phase. Metering shall be done, and its records shall be maintained during operation phase. |                                           | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                             |
| 13                                                                                                                                                                                                                                          | WASTE MANAGEMENT                          | Sewage generation during operation phase shall not exceed 306 KLD which shall be treated in the proposed onsite Sewage Treatment Plant.                                                                                                                                                                                                                                         |
| <b>PPs Submission:</b> Complied<br>Currently Project is under construction stage. Condition is noted and shall be complied during operation stage.                                                                                          |                                           | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                             |
| 14                                                                                                                                                                                                                                          | WASTE MANAGEMENT                          | The unit shall install and efficiently operate STP of adequate capacity for treating the sewage to be generated during operation phase to achieve the GPCB norms at the STP outlet. Treated sewage conforming to GPCB norms shall be utilized within premises for                                                                                                               |

|                                                                                                                                                      |                                           |                                                                                                                                                                                                                                                         |
|------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                                      |                                           | gardening and flushing purpose at the maximum extent possible. Only remaining quantity of treated sewage shall be disposed off through drainage line of GIDC.                                                                                           |
| <b>PPs Submission:</b> Complied<br>Currently Project is under construction stage. Condition is noted and shall be complied during operation stage.   |                                           | Date:<br>30/05/2026                                                                                                                                                                                                                                     |
| 15                                                                                                                                                   | WASTE MANAGEMENT                          | A proper logbook of STP operation and also showing the quantity of treated sewage utilization within premises and quantity of treated sewage discharged into the drainage line shall be maintained and furnished to the GPCB from time to time.         |
| <b>PPs Submission:</b> Complied<br>Currently Project is under construction stage. Condition is noted and shall be complied during operation stage.   |                                           | Date:<br>30/05/2026                                                                                                                                                                                                                                     |
| 16                                                                                                                                                   | WASTE MANAGEMENT                          | Dual plumbing system with separate tanks and lines shall be provided for utilization of treated sewage for flushing.                                                                                                                                    |
| <b>PPs Submission:</b> Complied<br>Currently Project is under construction stage. Condition is noted and shall be complied during operation stage.   |                                           | Date:<br>30/05/2026                                                                                                                                                                                                                                     |
| 17                                                                                                                                                   | WATER QUALITY MONITORING AND PRESERVATION | No bore well shall be constructed and existing bore well/s, if any, shall be either sealed or converted into the recharge well.                                                                                                                         |
| <b>PPs Submission:</b> Complied<br>No borehole is being constructed in the project. Condition is noted and shall be complied during operation stage. |                                           | Date:<br>30/05/2026                                                                                                                                                                                                                                     |
| 18                                                                                                                                                   | WATER QUALITY MONITORING AND PRESERVATION | Rainwater harvesting from rooftop and paved areas and ground water recharge through 7 nos. of percolation wells shall be carried out as per the details submitted. Before recharging the runoff, pre-treatment must be done to remove suspended matter. |
| <b>PPs Submission:</b> Complied<br>Currently Project is under construction stage. Condition is noted and shall be complied during operation stage.   |                                           | Date:<br>30/05/2026                                                                                                                                                                                                                                     |
| 19                                                                                                                                                   | AIR QUALITY MONITORING AND PRESERVATION   | A DG set (250 KVA) proposed as backup power shall be of enclosed type and confirm to prescribe standards under EPA rules. Necessary acoustic enclosures shall be provided at diesel generator set to mitigate the of noise.                             |
| <b>PPs Submission:</b> Complied<br>Currently Project is under construction stage. Condition is noted and shall be complied during operation stage.   |                                           | Date:<br>30/05/2026                                                                                                                                                                                                                                     |
| 20                                                                                                                                                   | AIR QUALITY MONITORING AND PRESERVATION   | The exhaust of the DG Set shall be at least 3 m above roof top.                                                                                                                                                                                         |
| <b>PPs Submission:</b> Complied<br>Currently Project is under construction stage. Condition is noted and shall be complied during operation stage.   |                                           | Date:<br>30/05/2026                                                                                                                                                                                                                                     |
| 21                                                                                                                                                   | AIR QUALITY MONITORING AND                | The gaseous emissions from the DG Sets shall conform to the standards prescribed under rules amended from time to time. At no                                                                                                                           |

|                                                                                                                                                    |                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                                    | PRESERVATION                            | time, the emission levels shall go beyond the stipulated standards.                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>PPs Submission:</b> Complied<br>Currently Project is under construction stage. Condition is noted and shall be complied during operation stage. |                                         | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 22                                                                                                                                                 | WASTE MANAGEMENT                        | The solid waste generated shall be properly collected and segregated at source. The biodegradable waste shall be converted into useful end product by treating it into the proposed onsite Organic Waste Converter and recyclable waste shall be sold to vendors whereas the other garbage shall be disposed off properly as per the provisions made by the GIDC.                                                                                                                                |
| <b>PPs Submission:</b> Complied<br>Currently Project is under construction stage. Condition is noted and shall be complied during operation stage. |                                         | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 23                                                                                                                                                 | Statutory compliance                    | Project Proponent shall obtain fire safety certificate / Fire No-Objection Certificate (NOC) from the concern authority as per the prevailing Rules / Gujarat Fire Prevention and Life Safety Measures Act, 2016.                                                                                                                                                                                                                                                                                |
| <b>PPs Submission:</b> Complied<br>Currently Project is under construction stage. Condition is noted and shall be complied during operation stage. |                                         | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 24                                                                                                                                                 | Risk Mitigation and Disaster Management | Firefighting facilities like Fire Extinguisher, First Aid Hose Reel, Wet riser, Yard Hydrant, Fire Alarm, Automatic detection and Alarm System, Automatic Sprinkler system in Basement are installed, provided number of sets of pumps each consisting of two electric and one diesel pump, terrace water tanks of 5 KL capacity on each block, 6 nos of underground water tank of 120 KL, smoke detectors etc. shall be provided. A lightening arrester will be installed and properly earthed. |
| <b>PPs Submission:</b> Complied<br>Currently Project is under construction stage. Condition is noted and shall be complied.                        |                                         | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 25                                                                                                                                                 | Risk Mitigation and Disaster Management | Staircase shall be provided: 1 nos of 1.5 mts width in each block. All the staircases shall open out at ground level from the highest point of building with access from each floor for emergency evacuation.                                                                                                                                                                                                                                                                                    |
| <b>PPs Submission:</b> Complied<br>Condition is noted and is being complied.                                                                       |                                         | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 26                                                                                                                                                 | AIR QUALITY MONITORING AND PRESERVATION | Provision for adequate air changes per hour in the basement shall be made so as to avoid build-up of CO in the area.                                                                                                                                                                                                                                                                                                                                                                             |
| <b>PPs Submission:</b> Complied<br>No basement is proposed in the project; therefore, this condition is not applicable.                            |                                         | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 27                                                                                                                                                 | AIR QUALITY MONITORING AND PRESERVATION | Car park exhaust system equipped with CO (Carbon Monoxide) sensor shall be provided to ensure operation of exhaust fans as CO concentration levels.                                                                                                                                                                                                                                                                                                                                              |
| <b>PPs Submission:</b> Complied<br>No basement is proposed in the project; therefore, this condition is not applicable.                            |                                         | Date:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

|                                                                                                                                                  |                              | 30/05/2026                                                                                                                                                                                                                                                                                                                                                                                   |
|--------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 28                                                                                                                                               | MISCELLANEOUS                | Clear peripheral margin space of adequate width, in accordance with the concerned local byelaws, shall be provided for unobstructed and easy movement of vehicles in case of emergency.                                                                                                                                                                                                      |
| <b>PPs Submission:</b> Complied<br>Condition is noted and shall be complied.                                                                     |                              | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                          |
| 29                                                                                                                                               | Human Health Environment     | Sanitation facilities, drinking water and tap water, sewage disposal facility, first aid box, free medicines, doctor service, adequate PPEs etc. shall be provided for workers.                                                                                                                                                                                                              |
| <b>PPs Submission:</b> Complied<br>Condition is noted and is being complied.                                                                     |                              | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                          |
| 30                                                                                                                                               | MISCELLANEOUS                | Minimum parking space of 4292.95 m2 (186 CPS) 4292.95 m2 in open area shall be provided as proposed.                                                                                                                                                                                                                                                                                         |
| <b>PPs Submission:</b> Complied<br>Condition is noted and will be complied.                                                                      |                              | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                          |
| 31                                                                                                                                               | ENERGY PRESERVATION MEASURES | Energy conservation measures viz. maximum use of natural lighting through architectural design, energy efficient motors and pumps, water efficient taps, solar lights in open and solar streetlight, 180 KW solar power generation, use of aerated blocks and RMC, use of LED lighting fixtures and low voltage lighting, roof top thermal insulation etc. shall be implemented as proposed. |
| <b>PPs Submission:</b> Complied<br>Condition is noted and will be complied.                                                                      |                              | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                          |
| 32                                                                                                                                               | GREENBELT                    | Green belt area of 4913.45 m2 comprising of 21 86 m2 tree covered area with 1093 trees within premises shall be developed as proposed. The other open spaces inside the plot shall be suitably landscaped and covered with vegetation of indigenous tree species                                                                                                                             |
| <b>PPs Submission:</b> Complied<br>Currently Project is under construction stage with said provisions. Condition is noted and shall be complied. |                              | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                          |
| <b>General Conditions</b>                                                                                                                        |                              |                                                                                                                                                                                                                                                                                                                                                                                              |
| Sr.No.                                                                                                                                           | Condition Type               | Condition Details                                                                                                                                                                                                                                                                                                                                                                            |
| 1                                                                                                                                                | MISCELLANEOUS                | Mitigation of flood measures shall be undertaken. Height of the plinth and ramps will be increased so that flood water does not enter basement.                                                                                                                                                                                                                                              |
| <b>PPs Submission:</b> Complied<br>Condition is noted and shall be complied. However, it is submitted that there is no basement in this project. |                              | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                          |
| 2                                                                                                                                                | WASTE MANAGEMENT             | Project proponent shall explore possibilities to reuse the treated wastewater for gardening and floor washing.                                                                                                                                                                                                                                                                               |

|                                                                                                                                                                                        |                          |                                                                                                                                                                                                                                                                                                                        |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>PPs Submission:</b> Complied<br>Noted, possibility of reuse of treated wastewater for gardening, floor washing activities will be explored and complied, if required.               |                          | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                    |
| 3                                                                                                                                                                                      | MISCELLANEOUS            | Roads leading to or at construction site must be paved and blacktopped (i.e. - metallic roads).                                                                                                                                                                                                                        |
| <b>PPs Submission:</b> Complied<br>Noted and complied.                                                                                                                                 |                          | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                    |
| 4                                                                                                                                                                                      | Human Health Environment | No excavation of soil shall be carried out without adequate dust mitigation measures in place.                                                                                                                                                                                                                         |
| <b>PPs Submission:</b> Complied<br>Noted and complied. Sprinkling of water is being done to mitigate dust at site.                                                                     |                          | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                    |
| 5                                                                                                                                                                                      | Human Health Environment | Grinding and cutting of building materials in open area shall be prohibited.                                                                                                                                                                                                                                           |
| <b>PPs Submission:</b> Complied<br>Noted and shall be complied. Grinding and cutting of building material shall only be done in defined area with proper containment.                  |                          | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                    |
| 6                                                                                                                                                                                      | Human Health Environment | Construction material and waste should be stored only within earmarked area and roadside storage of construction material and waste shall be prohibited.                                                                                                                                                               |
| <b>PPs Submission:</b> Complied<br>Noted and shall be complied. Construction material storage is only kept in the defined area and roadside storage of material is prohibited at site. |                          | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                    |
| 7                                                                                                                                                                                      | Human Health Environment | Construction and demolition waste processing and disposal site shall be identified and required dust mitigation measures be notified at the site.                                                                                                                                                                      |
| <b>PPs Submission:</b> Complied<br>Noted and shall be complied. Designated location has been defined to put construction waste with dust mitigation measures in place.                 |                          | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                    |
| 8                                                                                                                                                                                      | Human Health Environment | Dust mitigation measure shall be displayed prominently at the construction site for easy public viewing.                                                                                                                                                                                                               |
| <b>PPs Submission:</b> Complied<br>Noted and shall be complied.                                                                                                                        |                          | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                    |
| 9                                                                                                                                                                                      | MISCELLANEOUS            | Environment Management Cell shall be formed, which shall supervise and monitor the environment related aspects of the project during construction and operational phases in addition to observance of Gujarat Building and other Construction Workers'(Regulation of Employment and Conditions of Service) Rules 2003. |
| <b>PPs Submission:</b> Complied<br>Environment Management Cell (EMC) is formed and is attached as Annexure-I.                                                                          |                          | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                    |
| 10                                                                                                                                                                                     | MISCELLANEOUS            | Prior permission from the competent authority shall be obtained for cutting of the existing trees before site preparation work is commenced.                                                                                                                                                                           |

|                                                                                                                                                                                                             |               |                                                                                                                                                                                                                                |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>PPs Submission:</b> Complied<br>The Project site is falling under GIDC Housing estate and there are no trees existing at the site.                                                                       |               | Date:<br>30/05/2026                                                                                                                                                                                                            |
| 11                                                                                                                                                                                                          | MISCELLANEOUS | Water demand during construction shall be reduced by use of curing agents, super plasticizers and other best construction practices.                                                                                           |
| <b>PPs Submission:</b> Complied<br>Curing agents, and other best construction practices are being followed at site.                                                                                         |               | Date:<br>30/05/2026                                                                                                                                                                                                            |
| 12                                                                                                                                                                                                          | MISCELLANEOUS | Wind - breaker of appropriate height i.e. 1/3rd of the building height and maximum up to 10 meters shall be provided. individual building within the project site shall also be provided with barricades.                      |
| <b>PPs Submission:</b> Complied<br>Condition is noted and applicable compliances shall be ensured at site.                                                                                                  |               | Date:<br>30/05/2026                                                                                                                                                                                                            |
| 13                                                                                                                                                                                                          | MISCELLANEOUS | Regular water sprinkling shall be done in vulnerable areas for controlling fugitive emission.                                                                                                                                  |
| <b>PPs Submission:</b> Complied<br>Noted and is being complied as per site requirement.                                                                                                                     |               | Date:<br>30/05/2026                                                                                                                                                                                                            |
| 14                                                                                                                                                                                                          | MISCELLANEOUS | No uncovered vehicles carrying construction material and waste shall be permitted.                                                                                                                                             |
| <b>PPs Submission:</b> Complied<br>Noted and is being ensured at site. No uncovered vehicle is being allowed at site.                                                                                       |               | Date:<br>30/05/2026                                                                                                                                                                                                            |
| 15                                                                                                                                                                                                          | MISCELLANEOUS | No loose soil or sand or construction and demolition waste or any other construction material that cause dust shall be left uncovered. Uniform piling and proper storage of sand to avoid fugitive emissions shall be ensured. |
| <b>PPs Submission:</b> Complied<br>Noted and is being ensured at site that no loose soil or sand construction and demolition waste is left uncovered.                                                       |               | Date:<br>30/05/2026                                                                                                                                                                                                            |
| 16                                                                                                                                                                                                          | MISCELLANEOUS | Structural design of the project shall strictly adhere to the seismic zone norms for earthquake resistant structures.                                                                                                          |
| <b>PPs Submission:</b> Complied<br>Structural design of the project is prepared in accordance with the seismic zone norms for earthquake resistant structures in line with relevant IS codes and Standards. |               | Date:<br>30/05/2026                                                                                                                                                                                                            |
| 17                                                                                                                                                                                                          | MISCELLANEOUS | The planning, designs and construction of all buildings shall be such as to ensure safety from fire.                                                                                                                           |
| <b>PPs Submission:</b> Complied<br>Noted and is being ensured in planning and design                                                                                                                        |               | Date:<br>30/05/2026                                                                                                                                                                                                            |
| 18                                                                                                                                                                                                          | MISCELLANEOUS | The project proponent shall ensure maximum employment to the local people.                                                                                                                                                     |
| <b>PPs Submission:</b> Complied<br>Noted and is being complied at site.                                                                                                                                     |               | Date:<br>30/05/2026                                                                                                                                                                                                            |

|                                                                                                                                             |                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 19                                                                                                                                          | Human Health Environment      | All required sanitary and hygienic measures shall be provided before starting the construction activities and to be maintained throughout the construction phase.                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>PPs Submission:</b> Complied<br>Required facilities to be given to workers related to their welfare are being provided.                  |                               | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 20                                                                                                                                          | Human Health Environment      | Provision shall be made for housing of construction labor within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical healthcare, creches, electricity and ventilation, canteen, rest rooms, safe disposal system for garbage, first aid, medical and emergency facilities etc. to ensure that they do no ruin the existing environmental condition. The housing may be in the form of temporary structures to be removed after completion of the project. |
| <b>PPs Submission:</b> Complied<br>Required facilities to be given to workers related to their welfare are being provided.                  |                               | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 21                                                                                                                                          | Human Health Environment      | Adequate personal protective equipments shall be provided to the construction workers to ensure their safety and the project proponent shall ensure its usage by the labors.                                                                                                                                                                                                                                                                                                                                                                       |
| <b>PPs Submission:</b> Complied<br>Required PPEs like Safety Helmet, Safety shoes, etc. have been provided to all the construction workers. |                               | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 22                                                                                                                                          | Human Health Environment      | First Aid Box shall be made readily available in adequate quantity at all the times.                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>PPs Submission:</b> Complied<br>First Aid box is readily available in adequate quantity at site.                                         |                               | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 23                                                                                                                                          | Human Health Environment      | Training shall be given to all workers on construction safety aspects.                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>PPs Submission:</b> Complied<br>Complied. Safety training is being given to all workers working on the site from time to time.           |                               | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 24                                                                                                                                          | Statutory compliance          | The project proponent shall strictly comply with the building and other Construction Workers'(Regulation of Employment and Conditions of Service) Act 1996 and Gujarat rules made there under and their subsequent amendments.                                                                                                                                                                                                                                                                                                                     |
| <b>PPs Submission:</b> Complied<br>Noted and same is being complied.                                                                        |                               | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 25                                                                                                                                          | Noise Monitoring & Prevention | The overall noise level in and around the project area shall be kept well within the prescribed standards by providing noise control measures including acoustic insulation, hoods, silencers, enclosures vibration dampers etc. on all sources of noise generation.                                                                                                                                                                                                                                                                               |
| <b>PPs Submission:</b> Complied<br>Complied. Ambient Noise monitoring is being done at site to ensure the same.                             |                               | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 26                                                                                                                                          | Noise Monitoring & Prevention | Ambient noise levels shall conform to residential standards both during day and night. incremental pollution load on the ambient air                                                                                                                                                                                                                                                                                                                                                                                                               |

|                                                                                                                                                                                                                                                                                              |                               |                                                                                                                                                                                                                                                                                                                                             |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                                                                                                                                                                              |                               | and noise quality shall be closely monitored during construction phase                                                                                                                                                                                                                                                                      |
| <b>PPs Submission:</b> Complied<br>Complied. Ambient Noise monitoring is being done at site to ensure the same.                                                                                                                                                                              |                               | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                         |
| 27                                                                                                                                                                                                                                                                                           | Noise Monitoring & Prevention | The noise generating equipments, machinery and vehicles shall not be operated during the night hours and shall be maintained properly to avoid generation of high noise due to wear and tear.                                                                                                                                               |
| <b>PPs Submission:</b> Complied<br>No equipment which generates noise are being used in the night hours and are being maintained properly.                                                                                                                                                   |                               | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                         |
| 28                                                                                                                                                                                                                                                                                           | Noise Monitoring & Prevention | Use of diesel generator sets during construction phase shall be strictly with acoustic enclosure and shall conform to the EPA Rules for air and noise emission standards.                                                                                                                                                                   |
| <b>PPs Submission:</b> Complied<br>Noted and is being complied. DG under use is in sound condition with acoustic insulation and noise monitoring is being done on six monthly basis.                                                                                                         |                               | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                         |
| 29                                                                                                                                                                                                                                                                                           | WASTE MANAGEMENT              | Safe disposal of wastewater and municipal solid wastes generated during the construction phase shall be ensured.                                                                                                                                                                                                                            |
| <b>PPs Submission:</b> Complied<br>Noted and will be complied. Wastewater and municipal solid waste generated at site will be disposed off safely as per requirements.                                                                                                                       |                               | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                         |
| 30                                                                                                                                                                                                                                                                                           | MISCELLANEOUS                 | All topsoil excavated during construction activity shall be used in horticultural / landscape development within the project site.                                                                                                                                                                                                          |
| <b>PPs Submission:</b> Complied<br>All topsoil excavated during construction activity is being used for landscape development.                                                                                                                                                               |                               | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                         |
| 31                                                                                                                                                                                                                                                                                           | MISCELLANEOUS                 | Construction materials and debris shall be properly stored and handled to avoid negative impacts such as air pollution and public nuisances by blocking the roads and public passages.                                                                                                                                                      |
| <b>PPs Submission:</b> Complied<br>Noted and will be complied. Construction materials and debris are being properly stored. Ambient air monitoring is being done on site on six monthly basis to monitor the same.                                                                           |                               | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                         |
| 32                                                                                                                                                                                                                                                                                           | WASTE MANAGEMENT              | Construction debris shall be reused in construction of roads, levelling the site etc. Waste packaging material (like used cement bags, wastepaper, cardboard packing material), metal scraps etc. shall be sold to recyclers or shall be sent to the nearest municipal solid waste landfill site.                                           |
| <b>PPs Submission:</b> Complied<br>Construction debris generating at site is being reused at site only. Waste packaging material (like used cement bags, wastepaper, cardboard packing material), metal scraps etc. will be handed over/sold to recycler on call basis based on requirement. |                               | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                         |
| 33                                                                                                                                                                                                                                                                                           | MISCELLANEOUS                 | Excavated earth to be generated during the construction phase shall be utilized within the premises to the maximum extent possible and balance quantity of excavated earth shall be disposed off with the approval of the competent authority after taking the necessary precautions for general safety and health aspects. Disposal of the |

|                                                                                                                                                                                                               |                                         |                                                                                                                                                                                                                     |                            |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|
|                                                                                                                                                                                                               |                                         | excavated earth during construction phase shall not create adverse effect on neighboring communities.                                                                                                               |                            |
| <b>PPs Submission:</b> Complied<br>Excavated earth being generated during the construction phase is being utilized within the premises only and no extra quantity is being generated which requires disposal. |                                         |                                                                                                                                                                                                                     | <b>Date:</b><br>30/05/2026 |
| 34                                                                                                                                                                                                            | WASTE MANAGEMENT                        | Provisions of Construction and Demolition Waste Management Rules-2016 shall be strictly adhered to.                                                                                                                 |                            |
| <b>PPs Submission:</b> Complied<br>Noted and will be complied.                                                                                                                                                |                                         |                                                                                                                                                                                                                     | <b>Date:</b><br>30/05/2026 |
| 35                                                                                                                                                                                                            | AIR QUALITY MONITORING AND PRESERVATION | Vehicles hired for bringing construction material at the site shall be in good conditions and conform to applicable air and noise emission standards and shall be operated only during daytime and non-peak hours.  |                            |
| <b>PPs Submission:</b> Complied<br>Noted and is being complied.                                                                                                                                               |                                         |                                                                                                                                                                                                                     | <b>Date:</b><br>30/05/2026 |
| 36                                                                                                                                                                                                            | MISCELLANEOUS                           | Project proponent shall ensure use of eco-friendly building materials including fly ash bricks, fly ash paving blocks, Ready Mix Concrete RMC and lead-free paints in the project.                                  |                            |
| <b>PPs Submission:</b> Complied<br>Eco-friendly building material such as fly ash bricks, paver blocks, etc. are being used at site.                                                                          |                                         |                                                                                                                                                                                                                     | <b>Date:</b><br>30/05/2026 |
| 37                                                                                                                                                                                                            | MISCELLANEOUS                           | Fly ash shall be used in construction wherever applicable as per provisions of Fly Ash Notification under the EP Act, 1986 and its subsequent amendments from time to time.                                         |                            |
| <b>PPs Submission:</b> Complied<br>Eco-friendly building material such as fly ash bricks, paver blocks, etc. are being used at site.                                                                          |                                         |                                                                                                                                                                                                                     | <b>Date:</b><br>30/05/2026 |
| 38                                                                                                                                                                                                            | MISCELLANEOUS                           | Use of glass shall be minimal and only low emissive glass shall be used in the project to reduce the electricity consumption and load on air conditioning                                                           |                            |
| <b>PPs Submission:</b> Complied<br>No major glass use is proposed in the project.                                                                                                                             |                                         |                                                                                                                                                                                                                     | <b>Date:</b><br>30/05/2026 |
| 39                                                                                                                                                                                                            | Noise Monitoring & Prevention           | PP shall take all require mitigation measures so as to comply with the ambient noise levels standards of the residential area during day and nighttime as per Noise Pollution (Control and Regulation) Rules, 2000. |                            |
| <b>PPs Submission:</b> Complied<br>Currently Project is under construction stage. Condition is noted and will be complied during operations stage.                                                            |                                         |                                                                                                                                                                                                                     | <b>Date:</b><br>30/05/2026 |
| 40                                                                                                                                                                                                            | AIR QUALITY MONITORING AND PRESERVATION | PP shall take all require dust mitigation measures so as to comply with the National Ambient Air Quality standards 2009 and shall provide adequate budget for the same.                                             |                            |
| <b>PPs Submission:</b> Complied                                                                                                                                                                               |                                         |                                                                                                                                                                                                                     | <b>Date:</b>               |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                           |                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Currently Project is under construction stage. Condition is noted and will be complied during operations stage.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                           | 30/05/2026                                                                                                                                                                                                                                                                                                                                                                                                       |
| 41                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Human Health Environment                  | The project proponent shall prepare, display at prominent place in the construction site and implement the fire and safety SOPs for fall protection, ladders and staircase, scaffolds, trenching and excavation, electrical safety, crane operations, occupational noise mitigation procedure, welding and cutting including provision of PPE kits etc.                                                          |
| <b>PPs Submission:</b> Complied<br>Posters related to Fire Safety, PPEs , etc. are being displayed at site. Required Safety precautions are being taken care of while working on site.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                           | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                              |
| 42                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | MISCELLANEOUS                             | Project proponent or the maintenance society to whom the project has been handed over shall ensure allocation of parking to each and every member of the society as per the rules as soon as possible not later than 3 months and display the same in the society notice board and inform the local authorities like Municipal Corporation, UDA, RERA/ SEIAA and ensure proper parking without fail.             |
| <b>PPs Submission:</b> Complied<br>Currently Project is under construction stage. Condition is noted and applicable compliance(s) shall be ensured during operations stage.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                           | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                              |
| 43                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | MISCELLANEOUS                             | Proponent shall maintain traffic system within the premises to avoid congestion and unsafe parking in the premises, particularly safety parameters including fire, safety, installation of fire equipment's, house pipes etc. with due care to regular maintenance check-up and hold mock drills from time-to-time. Any damage to the greenbelt area must be avoided unless approved by the competent authority. |
| <b>PPs Submission:</b> Complied<br>Defined vehicle parking area is proposed in the project. All the equipments related to safety will be maintained and taken care.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                           | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                              |
| 44                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | MISCELLANEOUS                             | The PP shall also ensure notarized undertaking from the maintenance society at the time of hand over to comply with all the conditions of EC scrupulously failing which the EC will be liable to be withdrawn.                                                                                                                                                                                                   |
| <b>PPs Submission:</b> Complied<br>Ministry of Petroleum and Natural Gas (MoPNG) has entrusted Petronet LNG Ltd. (PLL) for construction of 1500 Dwelling Units (DUs) under Affordable Rental Housing Complex (ARHC) scheme for urban migrants and poor, under Pradhan Mantri Awas Yojana Urban (PMAYU). The Primary aim of ARHC scheme is to develop and provide a section of migrant workforce, access to dignified and affordable rental housing close to their workplace and elevate their living conditions from staying in slums, informal settlements. As the ownership of the proposed project will be with M/s Petronet LNG Ltd. even after completion of the project, so there will be no transfer of responsibility to other party. |                                           | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                              |
| 45                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Human Health Environment                  | Provision of fire lift may be provided; additional lift may be provided in high rise building for safety.                                                                                                                                                                                                                                                                                                        |
| <b>PPs Submission:</b> Complied<br>As the buildings in the complex are low rise, hence, no lifts are proposed in the project. Therefore, this condition is not applicable.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                           | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                              |
| 46                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | WATER QUALITY MONITORING AND PRESERVATION | Regular maintenance of leakages of water and wastewater shall be carried out.                                                                                                                                                                                                                                                                                                                                    |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                  |                                                                                                                                                                                                                                             |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>PPs Submission:</b> Complied<br>Condition is noted and will be complied during operations stage.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                  | Date:<br>30/05/2026                                                                                                                                                                                                                         |
| 47                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | MISCELLANEOUS    | When the property is handed over to society, the proponent should ensure by notarized undertaking to abide by all the conditions of EC and copy of the such transfer letter with notarized undertaking shall send to GPCB / SEAC and SEIAA. |
| <b>PPs Submission:</b> Complied<br>Ministry of Petroleum and Natural Gas (MoPNG) has entrusted Petronet LNG Ltd. (PLL) for construction of 1500 Dwelling Units (DUs) under Affordable Rental Housing Complex (ARHC) scheme for urban migrants and poor, under Pradhan Mantri Awas Yojana Urban (PMAYU). The Primary aim of ARHC scheme is to develop and provide a section of migrant workforce, access to dignified and affordable rental housing close to their workplace and elevate their living conditions from staying in slums, informal settlements. As the ownership of the proposed project will be with M/s Petronet LNG Ltd. even after completion of the project, so there will be no transfer of responsibility to other party. |                  | Date:<br>30/05/2026                                                                                                                                                                                                                         |
| 48                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | WASTE MANAGEMENT | The project proponent shall provide water pumping arrangement and especially when the discharge into municipal drainage, for annual inspection and cleaning to avoid inundation and surface water pollution and health hazard.              |
| <b>PPs Submission:</b> Complied<br>Currently Project is under construction stage. Condition is noted and applicable compliance(s) shall be ensured during operations stage.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                  | Date:<br>30/05/2026                                                                                                                                                                                                                         |
| 49                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | MISCELLANEOUS    | The proponent shall ensure that the occupants of the society are allotted parking space as approved in EC order and put-it on display the allotment of parking to the occupants in the society maintenance of it.                           |
| <b>PPs Submission:</b> Complied<br>Condition is noted and parking allotment will be ensured during operations stage.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                  | Date:<br>30/05/2026                                                                                                                                                                                                                         |
| 50                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | MISCELLANEOUS    | The project proponent shall ensure the distance criteria is properly followed while undertaking construction in consistent with the existing directions of local self-government bodies.                                                    |
| <b>PPs Submission:</b> Complied<br>Condition is noted and applicable compliance(s) shall be ensured.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                  | Date:<br>30/05/2026                                                                                                                                                                                                                         |
| 51                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | MISCELLANEOUS    | The orders shall mention the limit of floors given in the proposal. Any deviation from that could attract withdrawal of the EC as a violation case.                                                                                         |
| <b>PPs Submission:</b> Complied<br>Condition is noted and shall be complied.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                  | Date:<br>30/05/2026                                                                                                                                                                                                                         |
| 52                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | MISCELLANEOUS    | If there is Basement parking in proposed in the project then they should always maintain clean, free from hanging electric wires and provide adequate light.                                                                                |
| <b>PPs Submission:</b> Complied<br>No basement is proposed in the project; therefore, this condition is not applicable.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                  | Date:<br>30/05/2026                                                                                                                                                                                                                         |
| 53                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | MISCELLANEOUS    | Separate Entries and Exits shall be provided to the project on the                                                                                                                                                                          |

|                                                                                                                                                                                                                                                                                                                                                                                                            |                                        |                                                                                                                                                                                                                                                     |                     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|
|                                                                                                                                                                                                                                                                                                                                                                                                            |                                        | approach road.                                                                                                                                                                                                                                      |                     |
| <b>PPs Submission:</b> Complied<br>Condition is noted and shall be complied                                                                                                                                                                                                                                                                                                                                |                                        |                                                                                                                                                                                                                                                     | Date:<br>30/05/2026 |
| 54                                                                                                                                                                                                                                                                                                                                                                                                         | MISCELLANEOUS                          | Separate Entry and Exit to the basement shall be provided.                                                                                                                                                                                          |                     |
| <b>PPs Submission:</b> Complied<br>No basement is proposed in the project; therefore, this condition is not applicable.                                                                                                                                                                                                                                                                                    |                                        |                                                                                                                                                                                                                                                     | Date:<br>30/05/2026 |
| 55                                                                                                                                                                                                                                                                                                                                                                                                         | MISCELLANEOUS                          | Explore possibilities of provision of Electric vehicle charging points in the parking area.                                                                                                                                                         |                     |
| <b>PPs Submission:</b> Complied<br>Requirement of this condition will be reviewed during operations stage.                                                                                                                                                                                                                                                                                                 |                                        |                                                                                                                                                                                                                                                     | Date:<br>30/05/2026 |
| 56                                                                                                                                                                                                                                                                                                                                                                                                         | Corporate Environmental Responsibility | Project Proponent shall provide adequate fund for Environment Monitoring and Staff training in the Environment Management Plan.                                                                                                                     |                     |
| <b>PPs Submission:</b> Complied<br>Condition is noted and shall be complied.                                                                                                                                                                                                                                                                                                                               |                                        |                                                                                                                                                                                                                                                     | Date:<br>30/05/2026 |
| 57                                                                                                                                                                                                                                                                                                                                                                                                         | MISCELLANEOUS                          | In Municipal Corporation before approval of plan layout it shall be ensure that the project proponent has projected the space for tree plantation with tree guard in a space between municipal road and their premises.                             |                     |
| <b>PPs Submission:</b> Complied<br>The Project site is falling under GIDC Housing estate and required tree plantation will be carried out during the operation stage in line with GIDC building plan approval.                                                                                                                                                                                             |                                        |                                                                                                                                                                                                                                                     | Date:<br>30/05/2026 |
| 58                                                                                                                                                                                                                                                                                                                                                                                                         | MISCELLANEOUS                          | The project proponent shall take written undertaking from the society association to maintain compliance of conditions pertaining to tree plantation, maintaining hygienic condition in and around the premises for building construction projects. |                     |
| <b>PPs Submission:</b> Complied<br>Currently Project is under construction stage. Condition is noted and applicable compliance(s) shall be ensured in operation stage.                                                                                                                                                                                                                                     |                                        |                                                                                                                                                                                                                                                     | Date:<br>30/05/2026 |
| 59                                                                                                                                                                                                                                                                                                                                                                                                         | MISCELLANEOUS                          | Notwithstanding the provision of EMP/CER, the proponent shall incur full expenditure as may be required at the time of execution of the project.                                                                                                    |                     |
| <b>PPs Submission:</b> Complied<br>Condition is noted.                                                                                                                                                                                                                                                                                                                                                     |                                        |                                                                                                                                                                                                                                                     | Date:<br>30/05/2026 |
| 60                                                                                                                                                                                                                                                                                                                                                                                                         | MISCELLANEOUS                          | The project proponent shall take written undertaking from the Society Association to ensure compliance of environment conditions when it is handed over to them.                                                                                    |                     |
| <b>PPs Submission:</b> Complied<br>Ministry of Petroleum and Natural Gas (MoPNG) has entrusted Petronet LNG Ltd. (PLL) for construction of 1500 Dwelling Units (DUs) under Affordable Rental Housing Complex (ARHC) scheme for urban migrants and poor, under Pradhan Mantri Awas Yojana Urban (PMAYU). The Primary aim of ARHC scheme is to develop and provide a section of migrant workforce, access to |                                        |                                                                                                                                                                                                                                                     | Date:<br>30/05/2026 |

|    |               |                                                                                                                                                                                                                                                                                                                                                                         |                     |
|----|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|
|    |               | dignified and affordable rental housing close to their workplace and elevate their living conditions from staying in slums, informal settlements. As the ownership of the proposed project will be with M/s Petronet LNG Ltd. even after completion of the project, so there will be no transfer of responsibility to other party and compliance of EC will be ensured. |                     |
| 61 | MISCELLANEOUS | Project proponent shall ensure fire safety and safe lift installation by getting the due certification from competent authority.                                                                                                                                                                                                                                        |                     |
|    |               | <b>PPs Submission:</b> Complied<br>Applicable compliance related to fire safety will be ensured. As the buildings are low rise having G 3 floors only, so no lift is required in the building.                                                                                                                                                                          | Date:<br>30/05/2026 |
| 62 | MISCELLANEOUS | Project proponent shall take proper maintenance of electrification with respect to human safety.                                                                                                                                                                                                                                                                        |                     |
|    |               | <b>PPs Submission:</b> Complied<br>Noted and same is being implemented at site                                                                                                                                                                                                                                                                                          | Date:<br>30/05/2026 |
| 63 | MISCELLANEOUS | Project Proponent shall prominently display the copy of Environment Clearance at site.                                                                                                                                                                                                                                                                                  |                     |
|    |               | <b>PPs Submission:</b> Complied<br>Noted and is displayed at site.                                                                                                                                                                                                                                                                                                      | Date:<br>30/05/2026 |
| 64 | MISCELLANEOUS | Tree Plantation prescribed in the EC shall be maintained by the Society Association.                                                                                                                                                                                                                                                                                    |                     |
|    |               | <b>PPs Submission:</b> Complied<br>Condition is noted and applicable compliance(s) shall be ensured during operations stage.                                                                                                                                                                                                                                            | Date:<br>30/05/2026 |
| 65 | MISCELLANEOUS | Proponent as well as successor society shall maintain hygienic conditions and cleanliness in and around the project site all the time.                                                                                                                                                                                                                                  |                     |
|    |               | <b>PPs Submission:</b> Complied<br>Currently Project is under construction stage. Condition is noted and shall be complied when project will be in operation stage.                                                                                                                                                                                                     | Date:<br>30/05/2026 |
| 66 | MISCELLANEOUS | The design of building has to be earthquake resistant and duly certified by competent structural engineer of competent authority.                                                                                                                                                                                                                                       |                     |
|    |               | <b>PPs Submission:</b> Complied<br>Condition is noted and applicable compliance(s) will be ensured.                                                                                                                                                                                                                                                                     | Date:<br>30/05/2026 |
| 67 | MISCELLANEOUS | The design of building has to be earthquake resistant and duly certified by competent structural engineer of competent authority.                                                                                                                                                                                                                                       |                     |
|    |               | <b>PPs Submission:</b> Complied<br>Design of all buildings/structures/ elements of this project is being carried out in line with relevant IS Codes and standards.                                                                                                                                                                                                      | Date:<br>30/05/2026 |
| 68 | MISCELLANEOUS | The project proponent shall explore the possibilities and adopt mitigation measures to minimize the impact of project with reference to Urban Heat island (UHI) Phenomena.                                                                                                                                                                                              |                     |
|    |               | <b>PPs Submission:</b> Complied<br>Necessary action will be taken to minimize the impact w.r.t. urban heat island phenomena.                                                                                                                                                                                                                                            | Date:<br>30/05/2026 |

|                                                                                                                                                                            |                                        |                                                                                                                                                                                                                                                 |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 69                                                                                                                                                                         | Corporate Environmental Responsibility | The project proponent shall allocate funds as may be required for the compliance of Environment Management plan and CER activity proposed at the time of execution of the project.                                                              |
| <b>PPs Submission:</b> Complied<br>Condition is noted and shall be complied                                                                                                |                                        | Date:<br>30/05/2026                                                                                                                                                                                                                             |
| 70                                                                                                                                                                         | WASTE MANAGEMENT                       | Project proponent shall adopt the 3R concept of Reduce, Reuse and Recycle and while handing over the project to Maintenance Society shall ensure the compliances as required.                                                                   |
| <b>PPs Submission:</b> Complied<br>Concept of 3R- Reduce, Reuse and Recycle will be adopted and will be complied.                                                          |                                        | Date:<br>30/05/2026                                                                                                                                                                                                                             |
| 71                                                                                                                                                                         | ENERGY PRESERVATION MEASURES           | Low water consuming devices shall be provided. Fixtures for showers, toilet, flushing and drinking shall be of low flow either by use of aerators/ diffusers or pressure reducing devices etc                                                   |
| <b>PPs Submission:</b> Complied<br>Condition is noted and shall be complied. Plumbing Fixtures used in the project will be low water consuming devices.                    |                                        | Date:<br>30/05/2026                                                                                                                                                                                                                             |
| 72                                                                                                                                                                         | ENERGY PRESERVATION MEASURES           | A water meter shall be installed on rainwater harvesting and ground water recharge well system and compliance report of the same shall be submitted to concerned authorities.                                                                   |
| <b>PPs Submission:</b> Complied<br>Currently Project is under construction stage. Condition is noted and applicable compliance(s) shall be ensured in operation stage.     |                                        | Date:<br>30/05/2026                                                                                                                                                                                                                             |
| 73                                                                                                                                                                         | WASTE MANAGEMENT                       | Used oil shall be sold only to the registered recycler.                                                                                                                                                                                         |
| <b>PPs Submission:</b> Complied<br>Noted and shall be complied, whenever requirement arises.                                                                               |                                        | Date:<br>30/05/2026                                                                                                                                                                                                                             |
| 74                                                                                                                                                                         | WASTE MANAGEMENT                       | Provisions of Solid Waste Management Rules-2016 shall be strictly adhered to.                                                                                                                                                                   |
| <b>PPs Submission:</b> Complied<br>Noted and shall be complied.                                                                                                            |                                        | Date:<br>30/05/2026                                                                                                                                                                                                                             |
| 75                                                                                                                                                                         | Statutory compliance                   | Requisite firefighting facilities as per the requirement of NBC and Gujarat Fire Prevention and Life Safety Measures Act-2013 along with the rules and regulations made there under shall be provided.                                          |
| <b>PPs Submission:</b> Complied<br>Fire Fighting requirement for the project has been considered in accordance with applicable standard and is under implementation stage. |                                        | Date:<br>30/05/2026                                                                                                                                                                                                                             |
| 76                                                                                                                                                                         | MISCELLANEOUS                          | Underground fire water storage tanks and tenace water storage tanks of adequate capacity shall be provided as proposed. Adequate provision shall be made to ensure that water from the Fire Water Tank shall not be used for any other purpose. |
| <b>PPs Submission:</b> Complied<br>Condition is noted and applicable compliance(s) shall be ensured in operation stage.                                                    |                                        | Date:<br>30/05/2026                                                                                                                                                                                                                             |

|                                                                                                                                                                        |                               |                                                                                                                                                                                                                                                                                                                                                                                                                |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 77                                                                                                                                                                     | MISCELLANEOUS                 | Dedicated power back up system shall be provided in the case of power failure and emergency of fire water pumps.                                                                                                                                                                                                                                                                                               |
| <b>PPs Submission:</b> Complied<br>Currently Project is under construction stage. Condition is noted and applicable compliance(s) shall be ensured in operation stage. |                               | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                            |
| 78                                                                                                                                                                     | MISCELLANEOUS                 | First Aid Box shall be made readily available in adequate quantity at all the times.                                                                                                                                                                                                                                                                                                                           |
| <b>PPs Submission:</b> Complied<br>Noted and same is being complied .                                                                                                  |                               | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                            |
| 79                                                                                                                                                                     | MISCELLANEOUS                 | Main entry and exit shall be separate and clearly marked in the facility.                                                                                                                                                                                                                                                                                                                                      |
| <b>PPs Submission:</b> Complied<br>Condition is noted and main entry and exit are separate and will be clearly marked.                                                 |                               | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                            |
| 80                                                                                                                                                                     | MISCELLANEOUS                 | Necessary emergency lighting system along with emergency power back up system shall be provided. Further, necessary auto glow signage at all appropriate places shall be provided to guide the people towards exits and assembly points during emergency.                                                                                                                                                      |
| <b>PPs Submission:</b> Complied<br>Currently Project is under construction stage. Condition is noted and applicable compliance(s) shall be ensured in operation stage. |                               | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                            |
| 81                                                                                                                                                                     | MISCELLANEOUS                 | Sufficient peripheral open passage shall be kept in the margin area for free movement of fire tender/ emergency vehicle around the premises.                                                                                                                                                                                                                                                                   |
| <b>PPs Submission:</b> Complied<br>Condition is noted and required open passage for fire tender/emergency vehicle movement will be ensured.                            |                               | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                            |
| 82                                                                                                                                                                     | Noise Monitoring & Prevention | The overall noise level in and around the project area shall be kept well within the prescribed standards by providing noise control measures including acoustic insulation, hoods, silencers, enclosures vibrations dampers etc. on all sources of noise generation including D.G. Sets. The ambient noise levels shall confirm to the standards prescribed under the Environment (Protection) Act and Rules. |
| <b>PPs Submission:</b> Complied<br>Noted and shall be complied in operation stage.                                                                                     |                               | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                            |
| 83                                                                                                                                                                     | MISCELLANEOUS                 | The area earmarked for the parking shall be used for parking only. No other activity shall be permitted in this area.                                                                                                                                                                                                                                                                                          |
| <b>PPs Submission:</b> Complied<br>Condition is noted and applicable compliance(s) shall be ensured in operation stage.                                                |                               | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                            |
| 84                                                                                                                                                                     | MISCELLANEOUS                 | Traffic congestion near the entry and exit points from the roads adjoining the proposed project site shall be avoided. No public space including the service road shall be used or blocked for the parking.                                                                                                                                                                                                    |

|                                                                                                                                                                        |                              |                                                                                                                                                                                                                                                                                                                                                                                                         |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>PPs Submission:</b> Complied<br>Noted and will be complied in the operation stage.                                                                                  |                              | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                     |
| 85                                                                                                                                                                     | ENERGY PRESERVATION MEASURES | The project proponent shall install energy efficient devices, appliances, motors, and pumps conforming to the Bureau of Energy Efficiency norms.                                                                                                                                                                                                                                                        |
| <b>PPs Submission:</b> Complied<br>Noted and will be complied in the operation stage                                                                                   |                              | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                     |
| 86                                                                                                                                                                     | ENERGY PRESERVATION MEASURES | The transformers and motors shall have minimum efficiency of 85 percent.                                                                                                                                                                                                                                                                                                                                |
| <b>PPs Submission:</b> Complied<br>Noted and will be complied in the operation stage.                                                                                  |                              | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                     |
| 87                                                                                                                                                                     | ENERGY PRESERVATION MEASURES | Only variable frequency motor drives shall be used in project.                                                                                                                                                                                                                                                                                                                                          |
| <b>PPs Submission:</b> Complied<br>Use of variable frequency motor drives shall be reviewed as per the site requirement.                                               |                              | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                     |
| 88                                                                                                                                                                     | ENERGY PRESERVATION MEASURES | Application of solar energy shall be incorporated for illumination of common areas, lighting for gardens and street lighting. In addition the provision for solar water heating system shall also be provided.                                                                                                                                                                                          |
| <b>PPs Submission:</b> Complied<br>Noted and will be complied in the operation stage.                                                                                  |                              | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                     |
| 89                                                                                                                                                                     | ENERGY PRESERVATION MEASURES | Use of glass shall be minimal to reduce the heat island effect as well as to reduce the electricity consumption.                                                                                                                                                                                                                                                                                        |
| <b>PPs Submission:</b> Complied<br>No major glass use is proposed in the project.                                                                                      |                              | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                     |
| 90                                                                                                                                                                     | GREENBELT                    | The area earmarked as green area shall be used only for plantation and shall not be altered for any other , Purpose.                                                                                                                                                                                                                                                                                    |
| <b>PPs Submission:</b> Complied<br>Currently Project is under construction stage. Condition is noted and applicable compliance(s) shall be ensured in operation stage. |                              | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                     |
| 91                                                                                                                                                                     | GREENBELT                    | Drip irrigation flow volume, low angle sprinkler system shall be used for the lawns and other green area including tree plantation.                                                                                                                                                                                                                                                                     |
| <b>PPs Submission:</b> Complied<br>Noted and will be complied in the operation stage.                                                                                  |                              | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                     |
| 92                                                                                                                                                                     | MISCELLANEOUS                | The project proponent shall inform to SEAC / SEIAA regarding the transfer of management responsibility to the Society / Association to be formed for the proposed project with all the supporting documents. The society/Association to be formed for further management of the proposed project shall be responsible for compliance of all conditions stipulated in the Environmental clearance order. |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                         |                                                                                                                                                                                                                                                                                                      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>PPs Submission:</b> Complied<br>Ministry of Petroleum Natural Gas (MoPNG) has entrusted Petronet LNG Ltd. (PLL) for construction of 1500 Dwelling Units (DUs) under Affordable Rental Housing Complex (ARHC) scheme for urban migrants, poor, under Pradhan Mantri Awas Yojana Urban (PMAY U). The Primary aim of ARHC scheme is to develop and provide a section of migrant workforce, access to dignified and affordable rental housing close to their workplace and elevate their living conditions from staying in slums, informal settlements. As the ownership of the proposed project will be with M/s Petronet LNG Ltd. even after completion of the project, so there will be no transfer of responsibility to other party. |                                         | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                  |
| 93                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | MISCELLANEOUS                           | Environmental Clearance granted for the project on the basis of documents related to land possession submitted shall become invalid in case the actual land for the project site turns out to be different from the land considered at the time of appraisal of the project and mentioned in the EC. |
| <b>PPs Submission:</b> Complied<br>Noted for information and compliance.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                         | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                  |
| 94                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Statutory compliance                    | All other statutory clearances such as N.A. permission, approvals for storage of diesel from PESO, Fire Department, Airports Authority of India etc., if applicable, shall be obtained by the project proponent from the competent authorities.                                                      |
| <b>PPs Submission:</b> Complied<br>Any applicable statutory clearance as mentioned in the condition has been obtained from competent authority.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                         | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                  |
| 95                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Statutory compliance                    | All the conditions as may be stipulated in the N.A. order, Development permission, Building Use permission, NOC obtained from Fire Department etc. shall be strictly complied with.                                                                                                                  |
| <b>PPs Submission:</b> Complied<br>Noted and will be complied.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                         | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                  |
| 96                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Risk Mitigation and Disaster Management | The project management shall also comply with all the environment protection measures, risk mitigation measures and safeguards proposed by them.                                                                                                                                                     |
| <b>PPs Submission:</b> Complied<br>Any Protection measures related to environment, safety which are proposed by project proponent will be complied.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                         | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                  |
| 97                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | MISCELLANEOUS                           | All the commitments / undertakings given to the SEAC during the appraisal process for the purpose of environmental protection and management shall be strictly adhered to.                                                                                                                           |
| <b>PPs Submission:</b> Complied<br>All commitment/undertaking given to the competent authority during appraisal process, will be complied.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                         | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                  |
| 98                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | MISCELLANEOUS                           | The project proponent shall also comply with any additional condition that may be imposed by the SEAC or the SEIAA or any other competent authority for the purpose for the environmental protection and management.                                                                                 |
| <b>PPs Submission:</b> Complied<br>Noted. No additional condition imposed by any competent authority except conditions given in the                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                         | Date:                                                                                                                                                                                                                                                                                                |

|                                                                                                                                                                                 |                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| EC.                                                                                                                                                                             |                      | 30/05/2026                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 99                                                                                                                                                                              | MISCELLANEOUS        | All the terms and conditions prescribed in the amendment of EIA Notification - 2006 published by the MoEF and CC vide its Notification No. S.O. 3999(E) dated 9th December 2016 shall be complied with letter and spirit.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>PPs Submission:</b> Complied<br>Condition is noted and applicable compliance(s) shall be ensured in operation stage.                                                         |                      | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 100                                                                                                                                                                             | Statutory compliance | The project proponent shall strictly comply with the Gujarat Building and other Construction Workers(Regulation of Employment and Conditions of Service) Rules 2003 as well as Gujarat Lifts and Escalators Rules as amended from time to time.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>PPs Submission:</b> Complied<br>Noted and shall be complied. No lift is proposed in the project. Therefore, statutory rules related to it is not applicable.                 |                      | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 101                                                                                                                                                                             | Statutory compliance | No further expansion or modifications in the project likely to cause environmental impacts shall be carried out without obtaining prior Environment Clearance from the concerned authority.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>PPs Submission:</b> Complied<br>Noted. No further expansion or modifications will be carried out without obtaining prior Environment Clearance from the concerned authority. |                      | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 102                                                                                                                                                                             | Statutory compliance | The above conditions shall be enforced, inter-alia under the provisions of the water (Prevention and Control of Pollution) Act, 1974, Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act 1986 and the Hazardous Wastes (Management Handling and Tran boundary) Rules, 2008, Building and Other Construction Workers' (Regulation of Employment and Conditions of Service) Act-1996, The Gujarat Lifts and Escalators Act-2000 along with their amendments and rules.                                                                                                                                                                                                                                                                                                              |
| <b>PPs Submission:</b> Complied<br>Condition is noted and applicable compliance(s) shall be ensured.                                                                            |                      | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 103                                                                                                                                                                             | MISCELLANEOUS        | The project proponent shall obtain the requisite permissions / clearance under the provisions of the Indian Forest Act 1927, Forest Conservation Act 1980 and Wildlife (Protection) Act 1972.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>PPs Submission:</b> Complied<br>Condition is noted and applicable compliance(s) shall be ensured.                                                                            |                      | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 104                                                                                                                                                                             | MISCELLANEOUS        | The project proponent shall allocate the separate fund as committed before SEAC for activities Environment related activities like installation of Groundwater harvesting system, installation of solar street light system, Development of existing water pond, etc. at nearby villages Public Health related activities like Mobile Health Unit for the local community, Health Check-Up Program, Toilet blocks, etc. at nearby villages. Providing dry and wet dustbins, for nearby villages along with the operation and maintenance Education-related activities like the Development of nearby villages school amenities, vocational training programs for women, etc. Activities proposed under Corporate Environment Responsibility (CER) shall be part of Environment Management Plan (EMP) as per the MoEF |

|                                                                                                                                        |               |                                                                                                                                                                                                                                                                                                                                                                                                                                |
|----------------------------------------------------------------------------------------------------------------------------------------|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                        |               | and CC's OM no. F. No. 22-65/2017-IA.III dated 30.09.2020. The said activities shall be completed within 3 years from the commencement of the project. The CER shall be monitored, and the monitoring report shall be submitted to the regional office of MoEF and CC as a part of half-yearly compliance report and to the District Collector. The monitoring report shall be posted on the website of the project proponent. |
| <b>PPs Submission:</b> Complied<br>Noted and shall be complied.                                                                        |               | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                                            |
| 105                                                                                                                                    | MISCELLANEOUS | The project authorities shall earmark adequate funds to implement the conditions stipulated by SEIAA as well as GPCB along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.                                                                                                                                                       |
| <b>PPs Submission:</b> Complied<br>Noted and shall be complied.                                                                        |               | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                                            |
| 106                                                                                                                                    | MISCELLANEOUS | The project proponent shall adhere to provisions made for Corporate Environment Responsibility CER in Office Memorandum dated 0110512018 by Ministry of Environment, Forests and Climate Change and its amendments from time to time in a letter and spirit.                                                                                                                                                                   |
| <b>PPs Submission:</b> Complied<br>Noted and shall be complied.                                                                        |               | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                                            |
| 107                                                                                                                                    | MISCELLANEOUS | The applicant shall inform the public that the project has been accorded environmental clearance by the SEIAA and that the copies of the clearance letter are available with the GPCB and may also be seen at the Website of SEIAA/ SEAC/ GPCB.                                                                                                                                                                                |
| <b>PPs Submission:</b> Complied<br>Informed to the public through all mentioned platforms.                                             |               | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                                            |
| 108                                                                                                                                    | MISCELLANEOUS | It shall be mandatory for the project management to upload half yearly compliance report on website of Gujarat Real Estate Regulatory Authority, on 1st June and 1st December of each calendar year.                                                                                                                                                                                                                           |
| <b>PPs Submission:</b> Complied<br>As per RERA Act,2016, Chapter II section 3.2.c, RERA registration is not required for this project. |               | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                                            |
| 109                                                                                                                                    | MISCELLANEOUS | The project authorities shall also adhere to the stipulations made by the Gujarat Pollution Control Board.                                                                                                                                                                                                                                                                                                                     |
| <b>PPs Submission:</b> Complied<br>Noted for information and necessary action.                                                         |               | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                                            |
| 110                                                                                                                                    | MISCELLANEOUS | The project authorities shall inform the GPCB, Regional Office of MoEF and CC and SEIAA about the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.                                                                                                                                                                                               |
| <b>PPs Submission:</b> Complied<br>Noted and shall be complied.                                                                        |               | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                                                            |

|                                                                                                                                                                     |                                        |                                                                                                                                                                                                                                                                                                                                                                                     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 111                                                                                                                                                                 | MISCELLANEOUS                          | The SEIAA may revoke or suspend the clearance, if implementation of any of the above conditions is not found satisfactory. This environmental clearance is valid for ten years from the date of issue.                                                                                                                                                                              |
| PPs Submission: Complied<br>Noted for information.                                                                                                                  |                                        | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                 |
| 112                                                                                                                                                                 | MISCELLANEOUS                          | Submission of any false or misleading information or data which is material to screening or scoping or appraisal or decision on the application makes this environment clearance cancelled.                                                                                                                                                                                         |
| PPs Submission: Complied<br>Noted for information and necessary action.                                                                                             |                                        | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                 |
| 113                                                                                                                                                                 | Corporate Environmental Responsibility | Project Proponent shall submit CER plan to respective Collectors, DDO and Municipal Commissioner/Urban Development Authority and implement of CER activities under intimation and guidance of the respective authorities.                                                                                                                                                           |
| PPs Submission: Complied<br>Currently Project is under construction stage. Condition is noted and shall be complied when project is in operation stage.             |                                        | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                 |
| 114                                                                                                                                                                 | Corporate Environmental Responsibility | Project proponent shall inform to all the concerned authorities including Municipal Corporation, district collector, UDA and RERA and shall also give wide publicity through advertisement in minimum two local newspapers within seven days, about the environment clearance order accorded.                                                                                       |
| PPs Submission: Complied<br>Informed to the public through all mentioned platforms.                                                                                 |                                        | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                 |
| 115                                                                                                                                                                 | Corporate Environmental Responsibility | Project proponent shall appoint a key person in the organization who shall be responsible for compliance of above condition fully on behalf of the proponent. It will not mean that appointing a key person will exempt the project proponent from the responsibility of compliance. Any change in key person shall immediately be informed to SEIAA and all concerned authorities. |
| PPs Submission: Complied<br>Mr. Nishant Patel (Head Projects) has been appointed as the key person who is responsible for compliance of conditions given in the EC. |                                        | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                 |
| 116                                                                                                                                                                 | Statutory compliance                   | Designated key person shall submit six monthly compliance report to SEIAA/SEAC, MOEF CC, GPCB and Nodal Department of the Government.                                                                                                                                                                                                                                               |
| PPs Submission: Complied<br>Noted and same is being complied.                                                                                                       |                                        | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                                                                                 |
| 117                                                                                                                                                                 | Statutory compliance                   | Prior EC is granted is subject to the proponent receiving all statutory permission / clearances / certificates and membership of respective agencies / authorities failing which this provisional EC will stand withdrawn. Proponent shall inform progress from time to time, in six monthly compliance report to MOEFCC / SEIAA / SEAC/ GPCB.                                      |

|                                                                                                                                                                                                                                                                          |               |                                                                                                                                                                                                                                                                                                                                   |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>PPs Submission:</b> Complied<br>Noted and same is being complied at regular intervals.                                                                                                                                                                                |               | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                               |
| 118                                                                                                                                                                                                                                                                      | MISCELLANEOUS | The concern authority like Municipal Corporation, district collector, UDA and RERA or any authority or officer authorized by MOEF and CC/SEIAA can inspect the site of the project and all the facilities, for verification of compliances of environment clearance conditions.                                                   |
| <b>PPs Submission:</b> Complied<br>Noted for information. All applicable EC conditions are being complied at site.                                                                                                                                                       |               | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                               |
| 119                                                                                                                                                                                                                                                                      | MISCELLANEOUS | In case of violation reported upon, the project proponent shall be responsible for all the legal actions as per Environment Protection Act, 1986 including SEIAA may cancel, withdraw or keep in abeyance, the environment clearance accorded.                                                                                    |
| <b>PPs Submission:</b> Complied<br>Noted for information.                                                                                                                                                                                                                |               | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                               |
| 120                                                                                                                                                                                                                                                                      | MISCELLANEOUS | Any person including the project proponent affected by this environment clearance order may file appeal to Honorable National Green Tribunal West Zone branch, Pune, preferably within a period of thirty days from the date of issue of environment clearance as prescribe under section 16 of National Green Tribunal Act 2010. |
| <b>PPs Submission:</b> Complied<br>Noted for information.                                                                                                                                                                                                                |               | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                               |
| 121                                                                                                                                                                                                                                                                      | MISCELLANEOUS | All complains and public grievance or representations may be addressed to SEIAA/SEAC in the email addresses (a) msseiaagj@gmail.com and (b) seacgujarat@gmail.com.                                                                                                                                                                |
| <b>PPs Submission:</b> Complied<br>Noted for information.                                                                                                                                                                                                                |               | Date:<br>30/05/2026                                                                                                                                                                                                                                                                                                               |
| <b>Visit Remarks</b>                                                                                                                                                                                                                                                     |               |                                                                                                                                                                                                                                                                                                                                   |
| <b>Last Site Visit Report Date:</b>                                                                                                                                                                                                                                      |               | N/A                                                                                                                                                                                                                                                                                                                               |
| <b>Additional Remarks:</b>                                                                                                                                                                                                                                               |               | Six Monthly Compliance Report of ARHC for the period of June 25-March 26                                                                                                                                                                                                                                                          |
| <p><b>Note:</b> This acknowledgement is as per the details submitted by project proponent. In no way is this document to be considered as conclusion on any action on the compliance of the project. This is strictly for the project proponent's reference purpose.</p> |               |                                                                                                                                                                                                                                                                                                                                   |

## Annexure-II

# Annexure-II

## EMC Organogram – PLL, Dahej

