

Petronet LNG Limited

GIDC Industrial Estate, Plot No. 7/A, Dahej, Taluka : Vagra, Dist. Bharuch (Gujarat) - 392130 (India)

> Tel.: 02641 - 670200 / 257 www.petroneting.com CIN: L74899DL 1998PLCO93073 GST No.: 24AAACP8148D1ZM

REF: PLL/DHJ/HSE/MoEF/2022/01

Date: 22nd January, 2022

To,

The Director (Environment)
Forests & Environment Department,
Government of Gujarat,
Block No. 14, 8th Floor, Sachivalaya,
Gandhinagar – 382 010

Subject: Half-yearly Compliance Report with respect to conditions stipulated by Ministry of Environment

& Forests, Govt. of India and Department of Forests, Govt. of Gujarat for Installation of Terminal facilities to handle additional 10 MMTPA of LNG (Phase IIIA & Phase IIIB) at PLL

Dahej, Gujarat by Petronet LNG Limited, Gujarat as on 31st Dec 2021

Ref : (a) F. No. 11-63/2011-IA-III Dated 26th February, 2014

(b) ENV-10-2013-71-E Dated 13th January, 2014

(c) F. No. 11-63/2011-IA-III Dated 04th Dec, 2020

Dear Sir,

The half yearly compliance report as on 31st Dec 2021 with respect to conditions stipulated by Ministry of Environment & Forests, Govt. of India and Department of Forests, Govt. of Gujarat for Installation of Terminal facilities to handle additional 10 MMTPA of LNG (Phase IIIA & Phase IIIB) at Petronet LNG Limited, Gujarat is enclosed.

Thanking you, Yours faithfully

For Petronet LNG Limited

S B Sing() ED (Plant Head)

Encl.: As above

Copy to:-Director, Ministry of Env., Forest and Climate Change Indira Paryavaran Bhawan, Jorbagh Road, New Delhi – 110 003

Unit Head - Bharuch Division Gujarat Pollution Control Board Paryavaran Bhavan, Sector-10 A GANDHINAGAR - 382 010 (Gujarat)

MoEF& CC Integrated Regional office Room No 407& 409, Sector 10A A Wing Aranya Bhawan, Gandhinagar-382010 Deputy Director General of Forests (C), Ministry of Env., Forest and Climate Change Regional Office, Western Region, E-5, Kendriya Paryavaran Bhavan, Link Road No. 3, Bhopal – 462 016

Regional Officer Gujarat Pollution Control Board C-1\119\3, GIDC, Phase – 2, Narmadanagar Bharuch – 392015 (Gujarat)

Survey No. 347, Puthuvypu P.O. 682508, Kochi (INDIA)

Tel.: 0484-2502268

HALF YEARLY COMPLIANCE REPORT TO (FOR THE PERIOD JULY 21 TO DEC 21) THE CONDITION MENTIONED IN MOE&F LETTER NO. F.No.11-63/2011-IA-III, DATED: 26th February, 2014

&

LETTER NO. F.No.11-63/2011-IA-III DATED 04TH December 2020

(For Phase III Expansion) AS ON 31.12.2021

Point-wise compliance statement for the subject environmental clearance is as below:

	CONDITIONS	STATUS
7.	Special Conditions:	
i)	"Consent for Establishment" shall be obtained from State Pollution Control Board under Air and Water Act and a copy shall be submitted to the Ministry before start of any construction work at the site.	Complied. "Consent for Establishment" was obtained from GPCB vide their letter no. GPCB/BRCH/B-CCA611(2)/ ID- 15479/222771 Dated 21.08.2014 and provisional order obtained for validity extension
ii)	All the recommendations and conditions stipulated by the Gujarat Coastal Zone Management Authority vide letter no. ENV-10-2013-71-E dated 13.01.2014, shall be strictly complied with.	Complied and detail of compliance attach as Annexure-I.
iii)	The facility shall be constructed in accordance with the NFPA 59 A- Standard for the Production, storage and handling of liquefied Natural gas, OISD-194- Standard for Storage and handling of LNG, EN 1473 - Installation and equipment for LNG - Design of onshore installations and M.B.Lal Committee report.	Complied. The facilities designed and constructed as per NFPA59A, OISD 194,EN1473 and M B lal committee recommendation are incorporated. Attached Annexure IV Engineering design basis document for your reference The construction and commissioning of the Phase-IIIA facilities at Dahej completed and is operational since October, 2016 and Phase-IIIB1 Regasification facility at Dahej completed
iv)	Precautionary measures shall be put in place to prevent leakage of LNG due to any disasters including tidal/ tsunami wave, seismic and other natural calamities. Disaster Management Plan shall put in place to manage emergencies.	and is operational since June, 2019. Complied. The terminal is designed considering all the specified factors for safe operations. Existing Disaster Management Plan is updated accordingly. ERDMP plan is approved from DMI, Bhopal and valid till 29.12.2022 Attached Annexure V for DMI ERDMP

		certificate for your reference.
v)	Oil Spill Contingency Management Plan shall be put in place.	Complied. Oil spill contingency plan, is available.
vi)	Online sensor for load monitoring shall be provided, as committed.	Complied. Online stack monitoring instrument are installed for gas turbine stacks.
vii)	Temperature sensors, gas detectors, spill detectors shall be installed to take care of any type of spillage or leakage of the gas from the plant and the trucks.	Complied. These sensors placed as per design and as per F & G Mapping study for instant detection of any leakage in Phase-IIIA & Phase-IIIB1 Regasification Project. Attached Annexure VI F&G Study report Index page for your reference.
viii)	Project proponent shall explore training the local population with the help of training institutes like ITI etc, to make them suitable for employment in the facility.	Complied Petronet is working continuously for skill development of local people. PLL has recruited fair number of local people. For ancillary and support functions as security services, fire fighting and green belt maintenance etc. PLL is giving preference to local people.
ix)	All the recommendation of the EMP, Risk Assessment and Disaster Management Plan shall be complied within letter and spirit. All the mitigation measures submitted in the EMP/DMP report shall be prepared in a matrix format and the compliance for each mitigation plan shall be submitted to MOEF along with half yearly compliance report to MoEF-RO.	Complied ERDMP plan is updated and include Phase III expansion. All the recommendation of DMI, Bhopal are incorporated. ERDMP plan is approved from DMI, Bhopal and valid till 29.12.2022. Attached Annexure V for DMI ERDMP certificate for your reference.
x)	A separate Environment Monitoring Cell shall be set up especially for this plant and details shall be submitted to the Ministry prior to the commencement of operation.	Complied Environment Monitoring Cell is already set up in the existing plant and is being used for Environment Monitoring of expansion project and a brief report is being submitted to MoEF on half yearly basis. Detailed organogram of EMC is attached as Annexure-XII for your reference.

xi)	Construction activity shall be carried out strictly as per the provisions of CRZ Notification, 2011. No construction work other than those permitted in Coastal Regulation Zone Notification shall be carried out in Coastal Regulation Zone area.	Complied Construction activities was done as per CRZ Notification 2011. The construction and commissioning of the Phase-IIIA facilities at Dahej completed and is operational since October, 2016 and Phase-IIIB1 Regasification facility at Dahej completed and is operational since June, 2019.
xii)	No construction work other than those permitted in Costal Regulation Zone Notification shall be carried out in Coastal Regulation Zone area.	Complied CRZ Notification followed during construction phase however The construction and commissioning of the Phase-IIIA facilities at Dahej completed and is operational since October, 2016 and Phase-IIIB1 Regasification facility at Dahej completed and is operational since June, 2019.
xiii)	The project proponent shall set up separate environmental management cell for effective implementation of the stipulated environmental safeguards under the supervision of a Senior Executive.	Complied EMC is already setup in the company and it will be used for Environment Monitoring of expansion project. Detailed organogram of EMC is attached as Annexure-XII for your reference.
xiv)	The funds earmarked for environment management plan shall be included in the budget and this shall not be diverted for any other purposes.	Complied Funds earmarked for environment management plan is included in budget and being monitored regularly.
8.	General conditions:	
i)	Appropriate measures must be taken while undertaking digging activities to avoid any likely degradation of water quality.	Complied No digging activity effected the ground water quality during the construction. Ground water samples are taken and being monitors regularly.
ii)	Full support shall be extended to the officers of this Ministry/Regional Office at Bhopal by the project proponent during inspection of the project for monitoring purposes by furnishing full details and action plan including action taken reports in respect of mitigation measures and other environmental protection activities.	Complied Entry of GPCB and all government bodies are taken care for any inspection and all required information submitted as and when visited.

iii)	A Six-Monthly monitoring report shall need to be submitted by the project proponents to the Regional Office of this Ministry at Bhopal regarding the implementation of the stipulated conditions.	Complied MoEF & CRZ Half yearly compliance report submitted regularly. Last January 21 to June 2021 compliance report submitted on 10.07.2021.					
iv)	Ministry of Environment & Forests or any other competent authority may stipulate any additional conditions or modify the existing ones, if necessary in the interest of environment and the same shall be complied with.	Complied					
v)	The Ministry reserves the right to revoke this clearance if any of the conditions stipulated are not complied with the satisfaction of the Ministry.	Agree No Such case till date					
vi)	In the event of a change in project profile or change in the implementation agency, a fresh reference shall be made to the Ministry of Environment and Forests.	Complied					
vii)	The project proponents shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of land development work.	Complied Regional Office as well as the Ministry has been informed about the start of lan development works vide our letter no. PLL/DHJ/MoEF/010 Dtd.12 th May, 2014.					
viii)	A copy of the clearance letter shall be marked to concerned Panchayat/local NGO, if any, from whom any suggestion/ representation has been made received while processing the proposal.	Complied The environment clearance was forwarded to concerned offices. A copy of inwards from such offices was submitted vide our letter no. PLL/DHJ/MoEF/017 Dt.13 th May, 2014.					
ix)	State Pollution Control Board shall display a copy of the clearance letter at the Regional Office, District Industries Center and Collector's Office/Tehsildar's office for 30 days.	Complied Copy of environment clearance was already forwarded to concerned offices.					
9.	These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act 1974, the Air (Prevention and Control of Pollution) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification 1994, including the amendments and rules made thereafter.	Complied Mention Environment act and Rules are followed. PLI Policy renewed for one year w.e. 02.06.21 Attached Annexure VIII for PLI policy					
10.	All other statutory clearances such as the approvals	Complied					

10.	All the state of the	Complied
10.	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable by project proponents from the respective competent authorities.	Applicable clearances from following authorities obtained, a copy of same was submitted vide our letter no. PLL/DHJ/MoEF/011 Dt.13 th May, 2014: 1. PESO in principle approval obtained vide letter dated 10/10/2012 [PV(WC)S-784/GJ-II] and letter Dt 19/03/2014[PV(WC)S-784/GJ-II]. 2. Forest Dept. Approval obtained vide letter dated 30/10/2013, No.FCA-1013/10-13/11/SF-31-F.
11.	The project proponent shall advertise in at least two local Newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded Environmental and CRZ Clearance and copies of clearance letters are available with the State Pollution Control Board and may also be seen on the website of the Ministry of Environment and Forests at http://www.envfor.nic.in . The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same should be forwarded to the Regional office of this Ministry at Bhopal.	Complied A Public Notice was advertized in the local newspapers in English and Gujarati languages. A copy of same was submitted vide our letter no. PLL/DHJ/MoEF/011 Dtd.13 th May, 2014. Sandesh Gujarati newspaper dated 07.03.2014 and Times of India English Newspaper dated 07.03.2014 A copy of this notice is already forwarded to RO, Bhopal vide letter PLL/DHJ/MoEF/2014/007 dated 07.03.2014.
12.	This Clearance is subject to final order of the Hon'ble Supreme Court of India in the matter of Goa Foundation Vs. Union of India in Writ Petition (Civil) No.460 of 2004 as may be applicable to this project.	Agree
13.	Any appeal against this clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Agree No Such case till date
14.	Status of compliance to the various stipulated environmental conditions and environmental safeguards will be uploaded by the project proponent in its website.	Complied Six monthly compliance are uploaded at company website www.petronetlng.com Attached Annexure IX for screen shot of website
15.	A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zilla Parisad/Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/	_

	representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the company by the proponent.	The Environment and CRZ Clearance is already uploaded at company website www.petronetlng.com.
16.	The proponent shall upload the status of compliance of the stipulated Clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB	Complied. The Environment and CRZ Clearance compliance status is already uploaded at company website www.petronetlng.com . The monitored reports are regularly sent to MoEF RO, Bhopal with copy to GPCB & CPCB.
17.	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of Clearance conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.	Complied The Form-V is being updated on company website and sent to MoEF Regional Office by e-mail. Attached Annexure VII for Environment statement
	Condition Mention in LETTER NO. F.No.11-63/	
6i	Marine ecological monitoring and its mitigation measures for protection of phytoplankton, zooplanktons, macrobenthos, estuaries, sea grass, algae, sea, weeds, crustacean, fishes mangroves and migratory birds etc. shall be undertaken through a reputed university/institute with financial support as desired. Six monthly report of the studies to be provided to the regional office of MoEFCC.	, ,
7	The MoEFCC has considered the proposal based on the recommendation of the Expert Appraisal Committee and hereby decided to accord extension of validty of EC of aforementioned project issued by the Ministry vide letter No -11-63/2011-IA-III dated 26 th February 2014 for period of thre years i.e up to 25 th February 2024 under the EIA Notification 2006 as amended subject to strict compliance of all conditions specified in the EC letter and in addition to additional condition prescribed by the EAC.	

ANNEXURE-I

Compliance to conditions as conveyed by Department of Forests & Environment, Govt. of Gujarat, Letter No. ENV-10-2013-71-E dated 13th January, 2014 as on 31.12.2021

Point-wise compliance statement for the subject environmental clearance is as below:

SR. NO.	CONDITIONS	STATUS
1	The provisions of the CRZ notification of 2011 shall be strictly adhered to by the PLL	Complied CRZ Notification 2011 followed strictly.
2	PLL shall have to comply with all the Standards/norms prescribed by the Central Pollution Control Board for this project	Complied CPCB and GPCB norms are followed Monthly Environment monitoring done through GPCB approved agency and all measured parameters are under the limit. Attached Annexure II for Environment monitoring data Complied
3	PLL shall have to revise the Emergency Preparedness plan in close coordination with District Authority prior to Commissioning of expansion project.	ERDMP plan is updated and include Phase III expansion. All the recommendation of DMI, Bhopal are incorporated. ERDMP plan is approved from DMI, Bhopal and valid till 29.12.2022. Attached Annexure V for DMI ERDMP certificate for your reference.
4	All the recommendations and suggestions given by the VIMTA LABS in their Comprehensive Environment Management Plan shall be implemented strictly by the PLL	Complied. Company has adopted and followed best Environment Management practices to minimizing the impact on environment. Company has ISO 14001/9001/45001 certificate.

	The construction debuies and conserve conserved during the	Complied
5	The construction debris and sewage generated during the construction phase shall not be discharged into the creek, sea, estuary or into the CRZ area. The debris shall be removed from the construction site immediately after the construction is over and shall be disposed off as per the guidance of the GPCB.	Complied No debris discharged into the creek, sea or into CRZ area during construction phase.
6	The construction camps shall be located outside the CRZ area and the construction labours shall be provided with the necessary amenities, including sanitation, water supply and fuel and it shall be ensured that the environmental conditions are not deteriorated by the construction labours	Complied Construction camp set outside the CRZ area and all required welfare services are provided.
7	The groundwater shall not be tapped to meet with the water requirements during construction or operation phase in any case.	Complied Ground water was not used during the construction phase as well as operation phase.
8	A Disaster Management Plan to meet with any eventualities that may arise during construction and/or operation phase shall be prepared implemented.	Complied ERDMP plan is updated and include Phase III expansion All the recommendation of DMI, Bhopal are incorporated ERDMP plan is approved from DMI, Bhopal and valid till 29.12.2022. Attached Annexure V for DMI ERDMP certificate for your reference.
9	Necessary permissions/Clearances from different departments/ agencies under different laws/ acts shall be obtained before commencing any enabling activities.	Complied Applicable clearances from following authorities obtained a copy of same was submitted vide our letter no PLL/DHJ/MoEF/011 Dt.13 th May, 2014: 1. PESO in principle approval obtained vide letter dated 10/10/2012 [PV(WC)S-784/GJ-II] and letter D 19/03/2014[PV(WC)S 784/GJ-II]. Forest Dept. Approval obtained vide letter dated vide letter dated vide letter dated

		30/10/2013, No.FCA-1013/10 13/11/SF-31-F.
10	A separate Environmental Cell with qualified personnel shall be created to implement the Environmental Management Plan and a separate budget shall be provided for this purpose.	Complied EMC is already setup in the company headed by Sr Manager (HSE) and supported by two HSE members and it will be used for Environment Monitoring of expansion project.
11	The cost of the external agency that may be appointed by this department for supervision / monitoring of the project activities during construction/ operational phases shall be borne by the PLL.	Agree PLL agree to born cost of external agency appointed by this department
12	Massive greenbelt development program including the mangrove plantation in 100 ha. shall be carried out in consultation with the Gujarat Ecology Commission/ Forest Department by PLL.	Complied PLL has completed 100 ha. Mangrove Plantation in consultation with Forest Department.
13	A large scale socio-economic upliftment program in consultation with the District Collector/ DDO shall be carried out. A separate budget shall be provided for this purpose and details be furnished to this Department from time to time.	Complied. Please Refer Attached Annexure III for detail.
14	Environmental Audit report shall be submitted every year. The report shall also cover the change in the coastal and marine environment enroute the proposed rerouted pipeline and due to commissioning of the proposed activities.	Complied
15	A six monthly progress reports regarding the compliance of the conditions shall be submitted to this department.	Complied.
16	Any additional condition that may be imposed by the Ministry of Environment and Forests, Government of India/This department from time to time shall have to be complied with by the PLL	Complied No such case till date

ANNEXURE - II - ENVIROMENT DATA

AMBIENT AIR QUALITY STATUS REPORT

All units are in μg/m³.

Sr.no.		PM	110	PM	12.5	S	Ox	N	Эx	HC as Methane CH₄		
Sr.no.	Month	Min Max Min Max		Min	Min Max		Max	Min	Max			
	NAAQ norms	100 μ	ug/m³	60 µ	60 μg/m³		80 μg/m ³		g/m³	Absent		
1	Jan-21	64.00	94.00	21.00	36.00	9.60	18.60	11.60	21.30	BDL	BDL	
2	Feb-21	62.00	96.00	18.00	34.00	9.80	18.60	11.60	22.80	BDL	BDL	
3	Mar-21	72.00	97.00	22.00	48.00	9.80	18.40	12.40	22.40	BDL	BDL	
4	Apr-21	74.00	96.00	22.00	34.00	10.20	10.20 18.70		21.40	BDL	BDL	
5	May-21	72.00	96.00	21.00	36.00	10.60	21.10	13.10	24.10	BDL	BDL	
6	Jun-21	66.00	88.00	18.00	33.00	10.60	18.40	14.60	22.60	BDL	BDL	
7	Jul-21	62.00	88.00	16.00	28.00	11.60	18.40	12.10	21.60	BDL	BDL	
8	Aug-21	60.00	79.00	18.00	28.00	11.40	19.20	14.10	21.60	BDL	BDL	
9	Sep-21	62.00	78.00	14.00	26.00	10.10	18.50	11.60	19.60	BDL	BDL	
10	Oct-21	62.00	81.00	16.00	28.00	11.10	21.40	14.50	14.50 22.80		BDL	
11	Nov-21	62.00	86.00	20.00	28.00	11.80	21.10	14.60	25.60	BDL	BDL	
12	Dec-21	64.00	88.00	21.00	34.00	10.30	17.80	13.10	21.10	BDL	BDL	
	Range (Jan-21 to Dec 21)	60	-97	14	-48	9.6-	-21.4	11.6	-25.6	BDL		



STACK EMISSION AIR QUALITY STATUS REPORT

	D. Franck		GTG							
Sr.no.	Month	SPM	SO _X	NO _X						
G	SPCB norms	150 mg/NM ³	100 ppm	50 ppm						
1	Jan-21	BDL	BDL	27.20						
2	Feb-21	BDL	BDL	19.60						
3	Mar-21	BDL	BDL	16.40						
4	Арг-21	BDL	BDL	17.60						
5	May-21	BDL	BDL	21.40						
6	Jun-21	Not monitored due to non operational GTGs								
7	Jul-21	Not monitored due to non operational GTGs								
8	Aug-21	Not monitor	ed due to non operati	onal GTGs						
9	Sep-21	Not monitor	ed due to non operati	onal GTGs						
10	Oct-21	Not monitored due to non operational GTGs								
11	Nov-21	Not monitor	ed due to non operati	onal GTGs						
12	Dec-21	Not monitor	ed due to non operati	onal GTGs						
	Range (Jan-21 to Dec-21)	BDL	BDL	16.4-27.2						

BDL: Below Detection Level.



NOISE LEVEL REPORT

_		1							1.1	11.11		Jan-21		Feb-21		Mar-21 A		Apı	\pr-21		May-21		Jun-21		Jul-21		J-21	Sep	-21	Oct-21		Nov-21		Dec-21	
Sr.no.	Location	Unit	Limit	L _{day}	Lnight	Lday	Linlaht	-day	L _{night}	L _{dey}	Lnight	L _{day}	L _{night}	L _{dey}	L _{night}	L_{day}	Lnight	L _{day}	L _{night}	L_{day}	L_{night}	L _{day}	L_{nlght}	L _{day}	L _{nlght}	L _{day}	Lnigh								
1	North	decibel	Day-75 db Night-70db	66	56	64	54	66	58	68	56	64	54	68	56	67	55	65	54	68	56	65	58	68	52	71	55								
2	East	decibel	Day-75 db Night-70db	64	54	66	52	63	56	66	54	68	52	64	54	68	52	70	56	64	54	68	55	67	54	67	56								
3	West	decibel	Day-75 db Night-70db	71	55	68	58	64	55	62	58	66	55	62	58	66	56	68	53	62	58	66	56	62	55	69	58								
4	South	decibel	Day-75 db Night-70db	68	52	62	56	62	54	64	55	62	56	66	55	64	54	63	50	66	52	62	54	64	56	68	54								

400 minus

GROUND WATER QUALITY STATUS REPORT

C	Davamatan	I Imit	Ma	r-21	Jur	1-21	Sep	o-21	Dec	-21
Sr.no.	Parameter	Unit	GW1	GW2	GW1	GW2	GW1	GW2	GW1	GW2
1	Temperature	*C	30	30	32	32	29	.29	29	29
2	PH	-	8.7	8.74	8.11	8.23	8.22	8.26	8.57	8.52
3	Total Dissloved Solids (TDS)	mg/L	2780	2910	2910	2640	1840	860	2360	2490
4	Chlorides as CL	mg/L	614.8	595	629.8	419.8	289.9	131.9	469.8	459.8
5	Sulphate as SO4	mg/L	112	555	222	463	227	109.6	392	430.5
6	BOD (5 days @ 20°C)	mg/L	BDL	BDL	4	4	7	3	8	7
7	COD	mg/L	BDL	4.1	20.5	20.5	28.6	16.3	32.3	28.3
8	Oil & Grease	mg/L	BDL							
9	Phenolic Compound	mg/L	BDL							
10	Zinc as Zn	mg/L	BDL							
11	Total Chromium as Cr+3	mg/L	BDL	BDL	BDL,	BDL	BDL	BDL	BDL	BDL
12	Lead as Pb	mg/L	BDL							
13	Cyanide as CN	mg/L	BDL							
14	Flouride as F	mg/L	3	3.45	2.1	2.35	1.02	0.77	1.32	1.54
15	Copper as Cu	mg/L	BDL							
16	Insecticide	mg/L	Absent							
17	Pesticide	mg/L	BDL							
18	Mercury as Hg	mg/L	BDL							
	ND*: Not detected									

ND*: Not detected



MARINE WATER QUALITY STATUS REPORT

			Маг-21	Jun-21	Sep-21	Dec-21
Sr.no.	Parameter	Unit	MW	MW	MW	MW
1	Temperature	*C	30	32	28	28
2	PH	н.	7.81	7.58	7.8	7.53
3	Color	Co-pt	120	80	80	60
4	Total Suspended Solids	mg/L	720	1500	880	2324
5	Total Dissloved Solids (TDS)	mg/L	31240	28410	29796	27944
6	Chlorides as CL	mg/L	18744.1	14392.7	15236.4	18494.2
7	Sulphate as SO4	mg/L	2640	3613	2738	2213
8	BOD (5 days @ 20°C)	mg/L	12	42	52	25
9	COD	mg/L	42.5	145.2	164	81.6
10	Oil & Grease	mg/L	BDL	BDL	BDL	BDL
11	Phenolic Compound	mg/L	BDL	BDL	BDL	BDL
12	Zinc as Zn	mg/L	0.067	0.074	0.089	0.082
13	Total Chromium as Cr+3	mg/L	0.051	0.063	0.075	0.069
14	Lead as Pb	mg/L	BDL	BDL	BDL	BDL.
15	Cyanide as CN	mg/L	BDL	BDL	BDL	BDL
16	Flouride as F	mg/L	2.1	2.16	1.2	2.6
17	Copper as Cu	mg/L	BDL	BDL	BDL	BDL
18	Insecticide	mg/L	N.D.	N.D.	N.D.	N.D.
19	Pesticide	mg/L	Absent	Absent	Absent	Absent
20	Mercury as Hg	mg/L	BDL	BDL	BDL	BDL
21	Hexavalent Chromium as Cr+6	mg/L	BDL	BDL	BDL	BDL
22	Nickel as Ni	mg/L	0.091	0.084	0.093	0.075

ND*: Not detected



ANNEXURE -III

CSR DETAILS

PLL has constructed a temple at the site for the local people and has contributed towards infrastructure in the area for roads and drinking water.

Community development and welfare measures are taken. Village Luwara has been jointly adopted along with another nearby industry, as directed by PCPIR Welfare Society. Separate fund allocated for CSR.

Some of the schemes completed/under progress are Health Center (construction & operation), drainage and provision of street lights at Village Luwara. Rupees 75 lakh contributed to PCPIR Welfare Society. Two ladies from Luwara village sponsored for nursing course at Vidhyadeep Community college, Bharuch. Sponsored construction of Sanitation scheme at village Muller. Active participation in other Government initiated community development programs.

Installed 10 nos. Emergency solar lighting at prominent places in village Luwara. Donated Rs.1 lac for Bharuch District Civic centre development. Participated in Govt. scheme on KanyaKelvani. Installation of drainage crossings to remove accumulated water at 4 locations within the village Luvara at a cost of Rs. 0.8 lacs. Construction of approach road in village Lakhigaon, Dahej.

PLL has sponsored 'Mataria Talav drinking water project' of the Bharuch Municipality Corporation. This project is for the supply of sweet drinking water from the Narmada River to the residents of Bharuch city. MD&CEO handed over cheque for Rs. 25 Lacs to the Collector, Bharuch on 13/06/2011 and further, PLL added Rs. 20 Lacs for the 'MatariaTalav drinking water project'

PLL installed 50 nos. Emergency solar lighting at prominent places in village Luwara& 10 nos. Emergency solar lighting at prominent places in village Lakhigam of Vagra Taluka in Bharuch District. Provided School Bus to Primary School at Lakhigam Village and also running Primary Health Center at Luvara Village. PLL constructed Bus-stand and extended Gram Panchayat Bhavan building at Luvara Village.

PLL installed 25 Nos. of Solar lights at prominent places in village Lakhigam and Luwara. Contributed Rs. 20 Lakhs in Akshay Patra mid-day meal scheme at villages in and around Dahej location. Also, contributed Rs. 10.00 Lakhs in Gujarat Lion Conservation Society towards procurement of Vehicle.

26 maelul

Primary health services to Luvara village, Gynec health and Pulse Polio campaign (Pakhajan PHC). PLL supported noble cause of Construction of Storm water drainage at Shravan Chokdi to Jambusar by pass (over bridge) in Bharuch. This project is executed under District Collector office.

Request from CDHO (Chief District Health Officer) was received to participate in various health initiatives. PLL agreed during meeting with DM to provide the ambulance for PHC, Pakhajan Village of Vagra Taluka. PLL is supporting Luvara School for reference books, uniform, school picnic and creating awareness on environment, health, safety and security aspects through various programs regularly, rewarding bright students etc. PLL celebrated Shala Pravesh Utsav at Luvara School and distributed tool box to children.

Bharuch has problem of solid waste management and garbage disposal. To improve on cleanliness of the town, PLL is supporting initiative of GREEN BHARUCH CLEAN BHARUCH by donating two dumper placer worth Rs. 23.94 Lakh.

Due to delay in recruitment of teachers, primary schools in and around Dahej has 40% teaching staff. To support education by deploying young educated teachers, PLL sponsored 14 teachers in 4 schools of villages of Dahej, Lakhigam and Luvara.

PLL constructed 11hosues of homeless tribes in Luvara village at a cost of 25 Lakh. PLL initiated drive to make Luvara open defecation free by sponsoring toilets for 172 houses at a cost of Rs. 17.2 Lakh.

As a part of initiate for Swachh Bharat Abhiyan, PLL constructed five toilet blocks for school at Lakhigam, Luvara, Ambetha, Jageshwar & Dahej. Also, PLL has constructed 91 Toilet blocks at an estimated expenditure of Rs. 172 Lakhs for various schools in fifteen district of Assam in co-ordination with Rashtriya Madhiyamik Siksha Abhiyan (RMSA).

Cancer screening done (Pep and Breast) for female above 18 years at Luvara village. Establishment of equipment for Ultra Sonography Ward done at General/Civil Hospital, Bharuch. Motivational Awards (Academics and punctuality), School kit and reference books given for Luvara School students. Nutrition and clothing kit (105 nos.) was given to under nourished baby and mother.

PLL has sponsored Drawing competition, Educational tour and uniform distribution at Primary School Luvara. PLL sponsored Medical Equipment such as Eye sight testing, ECG Machine, Spirometer, Pulse Oxymeter etc. to Luvara Primary Health Centre. PLL also celebrated Swatch Bharat Pakhwada during 16th June, 2016 to 30th June, 2016 in co-ordination and consultation with neighboring villages, communities, schools etc.

Jeography

The launch of Project Vidhyagam was organized in Luwara Primary School wherein a classroom library for std. 7 & 8 students is setup. About 130 books (syllabus and general reading including comics, biographies, story books, general knowledge, science fiction in Gujarati, Hindi and English language) has been kept in the library. The idea behind this project is that students develop interest in reading and thus studying. The PLL Disha Ladies Club organized for food and distribution of educational kits for 65 girls in the Orphanage in Bharuch on 11th Sept 2016. A focused group discussion on importance of hygiene and cleanliness was organized by Ladies club members as well.

Roofing item worth Rs. 2 Lacs was provided to the Gram Panchayat Office of Luwara Village for construction of house for 10 tribal families living below the poverty line. This material consisted of cement roof, channel, and hooks. It is expected that the construction of houses will be done by mid-January 2017.

Petronet LNG Limited celebrated the World Sight Day on 13th October 2016 by organizing the Eye Screening Camp for contractual labor at the company premises. The camp was organized in association with Wockhardt Foundation and about 200 labor and 60 employees participated in the same. During the camp; 125 specs and 60 unit of drops were distributed to beneficiaries based on assessment by Doctors.

On the occasion of 147th birth anniversary of Father of Nation Shri Mahatma Gandhi Health and Hygiene talk, Swachhta Selfie Campaign, Drawing Competition at Govt. High School, Lakhigam and other activities were organized as part of Swachh Bharat Abhiyaan.

It is observed that there is a shortage of regular teachers in local schools and severely hampering the quality of education of poor children in schools. To mitigate this problem, PLL has started supporting para teachers in local school and ensuring improvement in quality of education in local schools.

PLL CSR team participated in world school day celebration on 23 March, 2017. As a part of celebration PLL has distributed Uniforms to Std. 8th Students. It was decided to provide two pair of uniforms to all students in school. The uniforms were prepared by Sardar Mahila Vikas Mandal a group of tribal women for employment generation and livelihood opportunity. PLL provided work order worth of Rs. 2,23,980/-

As the students studying in primary schools are coming from BPL and poor families, most of the families are not able to afford educational tours for their children. Every year school is organizing such tour sponsored by PLL. Students will get exposures to various places and gain experience. About 150 students get benefit of this tour and

Homashi

places covered like Dwarka, Somnath, Porbandar, Smruti Mandir, Naheru Planetorium, Sasan Gir etc.

PLL had sponsored community mass marriage of weaker community, participated in Shala Pravesh Utsav 2017, planted 150 of trees in nearby villages, distributed food packages during water logging observed at nearby villages, supported empowerment of Special children, engaged contractor for repair and maintenance of Toilets in nearby School, arranged cessions for awareness on solid waste management at school.

PLL supported 10th Special Olympics, Bharuch in January, 2018, sponsored project "Kaushal Setu" Skill Development Program with CIPET, Ahmedabad and trained 100 underprivileged youth, supported educational tour for Primary School of Luvara Village, provided para-teachers at school of nearby villages, sponsored community mass marriage of weaker community, supported "Startup Village" project towards Rural Youth Entrepreneurship Development Program, Supporting Swachh Bharat Abhiyan by District Administration Bharuch (Heritage Walk).

PLL signed MoA with Samagra Shiksha Abhiyan, Department of Education, Govt. of Gujarat on 23rd Jan. 2019 at Govt. Primary School, Luvara village for the Development of Primary School at Luvara Village. PLL supported District Level Special Olympics Games which was organized on 23rd February 2019. Around 250 special children, 150 volunteers including PLL volunteers and coaches participated during the event.

(July, 2019 to Dec. 2019)

PLL has signed MoU with ALIMCO to provide Aids and Equipment to disables of Bharuch District. PLL has signed MoU with Wockhardt Foundation to run Mobile Medical Unit (MMU) in nearby villages of PLL plant area. PLL has signed MoU with NHFDC to provide skill training to disable youth of Bharuch District. PLL has supported relief camp for affected community near Lakhigam during monsoon season.

(Jan. 2020 to June 2020)

PLL has conducted assessment camps at Jambusar and Vagra Taluka of Bharuch District to Aids and Equipment to disables. Kaushal Setu Skill Training with CIPET Ahmedabad 78 candidates have complated the training and 90% of them got job with the salary range of Rs. 9000 to Rs. 12000. PLL has conducted District Level Special Olympics in parnership with Kalrav Trusy Bharuch and Special Olympics, Gujarat. As a part of COVID-19 pendemic response, PLL has contributed Rs. 34.00 lakhs to

Johnson J

District Health Office, Bharuch to proquer PPE Kits, Masks and Senitise materils for COVID-19 worriers. PLL has provides 4300 nos. of Ration kits worth of Rs. 25.00 lakhs to Migrant Labours, and Poor Families of nearby villages. Petronet LNG Limited (PLL) under its CSR initiatives aims at distributing 1,00,000 face masks to the migrant labor communities, slum dwellers, nearby hospitals, local police authorities & Government Offices to combat COVID-19 in the Bhaurch District of Gujarat.

(July 2020 to December 2020)

PLL has supported Construction of Priamry School, at Luvara village worth of Rs. 1,71 Crore. Construction is about to complete by March, 2021. PLL has distributed aids and equipment to about 250 disable beneficiaries at Jambusar and Vagra Taluka of Bharuch District. As a part of COVID-19 pandemic response, in addition to supporting District Health Office (CDHO) and Distributing Rations Kits to to Migrant Labours, and Poor Families of nearby villages, PLL has prepared 1,00,000 cotton masks through Women SHGs of Bharuch District. About 80 women got indirect employment during pandemic through this initiative. These masks were distributed among local communities of nearby villages, health workers, labour community, Nagarpalika Sawachhta Karmchari, Special Children and their families, Vegetable vendors, Local Police authorities, Government Offices, Security Guards, PLL employees also participated in mask distribution initiative. These masks were made of Cotton considering it environment aspect for reusable and bio-degradable properties.

(January, 2021 to June, 2021)

PLL/PLF has signed agreement with Wockhardt Foundation to run Mobile Medical Unit (MMU) in nearby villages of PLL plant area. This MMU is providing its services to nearby villages like Lakhigam, Navi Nagari, Luvara, Jageshwar, Ambetha. More than 5500 patients have been benefited during last six months. PLL/PLF has signed agreement with NHFDC to provide skill training to disable youth of Bharuch District. First batch of 30 candidate started from April, 2021. PLL/PLF has signed agreement with MOKSHDA to install environment friendly green crematorium system to reduce excessive use of wood. The works are under progress, Construction of Govt. Primary School at Luvara village with 12 classrooms and modern amenities worth of Rs. 1.71 Crs. and Construction of 24 Nos. of widow quarters for BSF worth of Rs. 5.87 Crs. are going to completed by end of July, 2021. PLL/PLF skill training partner CIPET, Ahmedabad has completed skill training of 75 candidates and remaining 25 candidates are under progress. Candidate have secured job of Rs. 10,000 per month to Rs. 15,000 per month post completion of training programme. Most of the CSR projects got delayed due COVID-19 restrictions.

torcald.

(July, 2021 to December, 2021)

PLL/PLF has signed agreement with Wockhardt Foundation to run Mobile Medical Unit (MMU) in nearby villages of PLL plant area. This MMU is providing its services to nearby villages like Lakhigam, Navi Nagari, Luvara, Jageshwar, Ambetha. More than 8500 patients have been benefited during last six months. PLL/PLF has signed agreement with NHFDC to provide skill training to disable youth of Bharuch District. First batch of 30 candidate started from April, 2021 and second batch of 20 candidates started in August, 2021 and both batches have been completed during December, 2021. PLL/PLF has signed agreement with MOKSHDA to install environment friendly green crematorium system to reduce excessive use of wood. The works are under progress, Construction of Govt. Primary School at Luvara village with 12 classrooms and modern amenities worth of Rs. 1.71 Crs. and Construction of 24 Nos. of widow quarters for BSF widow's worth of Rs. 5.87 Crs. are completed. PLL/PLF skill training partner CIPET, Ahmedabad has completed skill training of 93/100 candidates. Candidate have secured job of Rs. 10,000 per month to Rs. 15,000 per month post completion of training programme. PLL has signed agreement with Bharuch Nagarpalika to provide support for Disaster Management and Swachh Bharat Abhiyan, Bharuch Nagarpalika would procure one fire tender and Road sweeping machine with the financial support of Rs. 1.93 Cr. under PLL CSR Initiatives. PLL has signed an agreement with Gujarat CSR Authority (GCSRA) for construction of Panchayat Bhavan at Lakhigam village. PLL has supported Development of Green Zone beneath newly constructed flyover bridge at Bharuch City.





ENGINEERING DESIGN BASIS STATIC EQUIPMENT

SECTION-2 DOCUMENT No. A324-000-16-46-DB-01 Rev. 0

Page 1 of 17

ENGINEERING DESIGN BASIS (STATIC EQUIPMENT)

PROJECT: LNG TERMINAL AT DAHEJ

CLIENT: M/s PLL

JOB NO.: A324

(EIL) (PLL)

Rev.	Date	Purpose	Prepared by	Checked	Approved
Α	25-05-2012	ISSUED FOR CLIENT'S COMMENTS/APPROVAL	RS	TG	RKT
0	07.09.2012	ISSUED AFTER CLIENT COMMENTS INCORPORATED	RS	TG	RKT



ENGINEERING DESIGN BASIS STATIC EQUIPMENT

SECTION-2 DOCUMENT No. A324-000-16-46-DB-01 Rev. 0

Page 2 of 17

CONTENTS

DESCRIPTION	PAGE NO.
FOREWORD	3
PART – 1 (OWNER'S REQUIREMENTS)	4
PART – 2 (DESIGN PHILOSOPHY)	6



ENGINEERING DESIGN BASIS STATIC EQUIPMENT

SECTION-2 DOCUMENT No. A324-000-16-46-DB-01 Rev. 0

Page 8 of 17

REFERENCED PUBLICATIONS 1.0

Codes and Standards: a)

The following codes and standards in their latest edition including latest addenda as on the date of first issue of this design basis shall be followed unless otherwise specified in the requisition for the design, fabrication, inspection and testing of Vessels, Double Wall Storage Tanks, Air coolers & heat exchangers:

ASME SEC. VIII DIV.1 For Pressure Vessels, Heat

Exchangers

ASME SEC. II For material specification

ASTM For material specification

ASME SEC. V Non Destructive Examination

ASME SEC. IX For welding

ASME B31.3 Process piping

BS EN 14620 PART I TO V Flat bottom, vertical, cylindrical

> tanks for storage of refrigerated, liquefied gases with operating temperatures between 0° C and (-)

165° C

BS 8110 + Amendements Structural use of concrete

BS EN 1473 Installation and equipment for LNG-

design of onshore installations

API 620 For Low Pressure Storage Tanks

API 2000 Venting atmospheric and

> storage pressure tanks, Non

refrigerated and refrigerated

API 2003 Protection against ignitions arising

out of static, lightning & stray

currents

API 678 Accelerometer Based Vibration

Monitoring System - Reaffirmed

(1987)

API 2550 Standard Methods for

Measurements and calibration of

upright cylindrical tanks

ACI 373 Design & construction of circular

prestressed concrete structures



ENGINEERING DESIGN BASIS STATIC EQUIPMENT

SECTION-2 DOCUMENT No. A324-000-16-46-DB-01 Rev. 0

Page 9 of 17

ACI 305R	Hot weather concrete
ASTM 549 NFPA 59A	Perlite loose fill insulation Production, storage & handling of LNG
NFPA 70	National Electric Code
NFPA 780	Standard for Installation of Lightning protection system
FIP recommandations	Acceptance and application of post tensioning system
PI-201-77	Compacted density
OISD 194	Standard for the storage and handling of LNG
IS: 875/SITE DATA	For wind load consideration
IS: 1893/SITE DATA	For seismic design consideration
ASME B 16.5	Steel Pipe flanges and pipe fittings
ASME B 16.47	For large diameter flanges
ASME B 16.20/ B 16.21	For gaskets
TEMA Class R	For shell and tube Exchanger
API 661	For Air Cooled Exchanger

b) Statutory Provisions:

IS 800

National laws and statutory provisions together with any local by-laws for the state shall be complied with. Static and Mobile Pressure Vessel (SMPV) rules and OISD norms as applicable shall also be complied with.

Air

Structural Design

For

Cooled

2.0 DESIGN PHILOSOPHY / GENERAL CRITERIA

Equipment shall be designed in compliance with the latest design code requirements and applicable standards/ specifications. All design calculations shall be performed considering all applicable loads for erection, operating and hydro test conditions.

2.1 Full Containment with Prestressed Concrete Outer Tank Wall

The storage tanks are to be above ground, flat bottom, and vertical full containment Prestressed cylindrical type. The under face of the concrete slab shall be minimum two meter above the ground, contractor for Storage Tank during detail engineering shall work out the actual height of the concrete slab.

A concrete outer tank and a roof constructed of reinforced concrete with carbon steel vapor barriers on the inside of the wall & base slab.

Exchanger













DISASTER MANAGEMENT INSTITUTE (DMI), BHOPAL

(An ISO 17020:2012 Accredited Institute)

ERDMP CERTIFICATE

This certificate has been awarded to

M/s Petronet LNG Limited

GIDC Industrial Estate, Plot No. 7/A, Dahej Dist. Bharuch (Gujrat) 392130 (India)

n recognition of the entity's "Emergency Response & Disaster Management Plan" which complies with the requirements of

PNGRB Notification G.S.R. 39(E) PNGRB "Codes of Practices for Emergency Response and Disaster Management Plan (ERDMP) Regulations, 2010"

Issued by

Certificate Number: 1615/ERDMP-126/Petronet LNG Limited/ Guirat/2018-19 Date of Issue 30.12.2019

Expiry Date: 29.12.2022

Dr. Rakesh Dubey






F&G Mapping Study

PROJECT NAME : DAHEJ EXPANSION PHASE - IIIA

LNG REGASIFICATION FACILITIES

OWNER : PETRONET LNG LTD





F66rauld"



Dahej Expansion Phase IIIA LNG Regasification Facilities PLD3A/R



ISSUE DATE: 17.04.2015

F&G Mapping Study Report

Page 2 of 104 Rev.: 1

TABLE OF CONTENTS

1	INTRODUCTION	4
2	STUDY OBJECTIVES AND SCOPE	4
2.1 2.2 2.3	OBJECTIVE	
3	TERMINOLOGY	6
3.1 3.2	DEFINITIONS	
4	STUDY APPROACH	6
4.1 4.2 4.3 4.4	OVERVIEW OF F&G MAPPING METHODOLOGY 3D MODEL IMPORT FLAME MAPPING ASSESSMENT FLAMMABLE GAS MAPPING ASSESSMENT	
5	MAPPING ANALYSIS	23
6	LNG TANK AREA	25
6.1 6.2	FLAME MAPPINGFLAMMABLE GAS MAPPING	
7	HP PUMP AND RECONDENSER AREA	40
7.1 7.2	FLAME MAPPINGFLAMMABLE GAS MAPPING	
8	BOG COMPRESSOR AREA	52
8.1 8.2	FLAME MAPPINGFLAMMABLE GAS MAPPING	
9	STV AREA	62
9.1 9.2	FLAME MAPPINGFLAMMABLE GAS MAPPING	
10	LNG DRAIN DRUM (TLF) AREA	70
10.1 10.2	FLAME MAPPINGFLAMMABLE GAS MAPPING	
11	LNG DRAIN DRUM (PROCESS) AREA	75
11.1 11.2	FLAME MAPPINGFLAMMABLE GAS MAPPING	
12	TRUCK LOADING FACILITY (TLF) AREA	81
12.1	FLAME MAPPING	81

DOC.NO A-6324-040-011







Dahej Expansion Phase IIIA LNG Regasification Facilities PLD3A/R



ISSUE DATE: 17.04.2015

F&G Mapping Study Report

Page 3 of 104 Rev.: 1

12.2	FLAMMABLE GAS MAPPING	87
13	GAS METERING STATION AREA	92
13.1	FLAME MAPPING	92
13.2	FLAMMABLE GAS MAPPING	96
14	TIE-IN POINTS IN INTERCONNECTING AREA	99
14.1	FLAME MAPPING	99
15	CONCLUSIONS	103



Petronet LNG Limited

GIDC Industrial Estate, Plot No. 7/A, Dahej,
Taluka: Vagra, Dist. Bharuch (Gujarat) - 392130 (India)
Tel.: 02641-300345 / 300405, Fax: 02641-300310 / 300306
www.petroneting.com

CIN: L74899DL 1998PLCO93073 GST No.: 24AAACP8148D1ZM

Ref.: PLL/DHJ/HSE/GPCB/2021/08

Date: April 19, 2021

GPCB XGN ID: 15479

To,

Gujarat Pollution Control Board Paryavaran Bhavan Sector-10 A GANDHINAGAR – 382 010

Sub: Environmental Statement for the financial year April 2020 to March 2021

Dear Sir,

Enclosed Please find Environmental Statement (FORM - V) for the financial year April 2020 to March 2021 for your kind perusal.

Thanking you,

Yours faithfully,

For Petronet LNG Limited

S B Singh

ED (Plant Head)

S.B. Singh Plant Head

Petronet LNG Limited Dahej 392130

Encl: As above

Li

Gujarat Pollution Control Board

BHARUCH

Post Received

2/sh/2

Copy to:

Gujarat Pollution Control Board, Bharuch

484-2502268

FORM-V ENVIRONMENTAL STATEMENT (See rule 14)

Environmental Statement for the financial year ending with 31st March 2021

PART - A

i. Name and address of the owner/occupier of the industry operation or process:

Mr. S B Singh ED (Plant Head) M/s Petronet LNG Limited Plot.7/A, GIDC Industrial Estate Dahej, Taluka Vagra Dist. Bharuch — 392130 Ph. 02641-670299/201

ii. Industry category Primary-(STC Code) Secondary-(STC Code)

Not Applicable.

iii. Production category - Dahej Unit.

17.5 MMTPA (Million Metric Tons per Annum) Regasification Capacity Receipt of LNG through Ship, storage, Regasification and Despatch of Natural Gas

iv. Year of establishment: 2nd April, 1998

v. Date of the last environmental statement submitted: 21st May, 2020

PART - B

Water and Raw Material Consumption:

i. Water consumption in m³/d:

Process

: Nil

Cooling

: Nil

Domestic

: 21.2 m³/day

	Process water consumption per unit of product output			
Name of Products	During the previous	During the current		
*	financial year	financial year		
Regasified Liquefied Natural gas (RLNG)	Nil	Nil		

ii. Raw material consumption:

Name of raw	Name of Products	1	v material per unit of tput
materials*		During the previous financial year (F.Y. 2019-20)	During the current financial year (F.Y. 2020-21)
1. Liquefied Natural Gas (LNG)	RLNG	16.186 MMTPA	15.558 MMTPA
		22285.79 MMSCM of send out RLNG	21353.55 MMSCM of send out RLNG

^{*} Industry may use codes if disclosing details of raw material would violate contractual Obligations, otherwise all industries have to name the raw materials used.

PART – C
Pollution discharged to environment/unit of output:
(Parameter as specified in the consent issued)

Pollutants	Quantity of Pollutants discharged (mass/day)	Concentration of Poliutants discharged (mass/volume)	Percentage of variation from prescribed standards with reasons.
(a) Water	No effluents generated	Not Applicable	Not Applicable
(b) Air (Stack emissions from Gas Turbine Generator)		SPM: Nil SOx: Nil NOx: 19.6 ppm	Concentration of pollutants discharged is well within the GPCB norms.

PART - D HAZARDOUS WASTES

(as specified under Hazardous and Other Wastes (Management & Trans boundary Rules, 2016)

	Total Qua	antity (Kg)
Hazardous Wastes	During the previous financial year (F.Y. 2019-20)	During the current financial year (F.Y. 2020-21)
1. From Process	Nil	Nil
2. From Pollution Control Facilities	Nii	Nil
3. Used oil	3,990 Liters	10,500 Liters
Waste Residue containing Oil	Nil	846.3 Kgs
5. Insulation Waste	750 Kgs	Nil
6. Paint Waste	Nil	1160 Kgs

PART- E

SOLID WASTES

	Total Quantity (Kg)				
Solid Wastes	During the previous financial year (F.Y. 2019-20)	During the current financial year (F.Y. 2020-21)			
a. From process	Nil	Nil			
b. From Pollution Control Facility	Nil	Nil			
c. (1) Quantity recycled or re- utilized within the unit.	Nil	Nil			
(2) Sold :	Nil	Nil			
(3) Disposed: a) E Waste	470 Kg	1090 Kg			

PART - F

Please specify the characteristics (in terms of concentration and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

Hazardous waste: 1. Used oil 10,500 Liters (Disposal through GPCB approved Recycler/ Preprocessor, M/s R.K. steel, Bharuch)

2. Paint Waste of 1160 Kgs dispossed to approved incineration site of M/s Bharuch Enviro Infrastructure (BEIL) , Dahej for incineration process

Solid Waste

: Waste residue containg oil(Cotton waste) of 846.3 Kgs dispossed to approved incineration site of M/s Bharuch Enviro Infrastructure (BEIL), Dahei for incineration process.

E-Waste

: Total 1090 Kg E - waste dispossed to GPCB approved agency , M/s Earth E Waste Managemnet Pvt. Ltd. , Surat

Lead Acid Batteries: Total 76 nos batteries are disposed off through supplier buy back system under Batteries (Management and Handling) Amendment Rules, 2010. Details are as follows.

Sr No	Date	Description	Quantit y (Nos)	Agency
1	19.02.2021	Pulse Lite Battery	16	DECCAN SALES & SERVICE PVT. LTD.
2	04.03.2021	SMF Rechr. Battery EP 26-12, 12V, 26AH	26	UMA BATTERY
3	04.03.2021	Battery EXIDE 12V 42AH	34	UMA BATTERY

PART - G

Impact of the pollution control measures taken on conservation of natural resources and consequently on the cost of production.

Regular Environmental monitoring is carried out through GPCB approved agency. (M/s. Unistar Environment & Research Labs Pvt. Ltd, Vapi) and monitored results are well within the consent limit

Page 4 of 6

Additional measures/investment proposal for environmental protection including abatement of pollution.

The total Green Belt area approximately 1,66,000 Sq. meters has been allocated in and around periphery wall. Whereas, PH-I & PH-II green belt has been developed and maintained and the PH-III green belt (57,000 Sqm) area development has been initiated. In addition to this, the total lawns/ green cover developed & maintained till date is 30000 Sq.m.

S.No	Financial Year	Amount Spent (Rs. In Lacs)	Purpose of Investment
1	2009-10	33.22	Development & maintenance of Green belt and Mangrove Plantation during the year.
2	2010-11	55.00	Development & maintenance of Green belt and Mangrove Plantation during the year.
3	2011-12	93.31	Development & maintenance of Green belt and Mangrove Plantation during the year.
4	2012-13	109.57	Development & maintenance of Green belt and Mangrove Plantation during the year.
5	2013-14	95.20	Development & maintenance of Green belt and Mangrove Plantation during the year.
6	2014-15	88.83	Development & maintenance of Green belt and Mangrove Plantation during the year.
7	2015-16	42.20	Development & maintenance of Green belt and Mangrove Plantation during the year.
8	2016-17	77.96	Development & maintenance of Green belt and Mangrove Plantation during the year.
9	2017-18	71.08	Development & maintenance of Green belt during the year.
10	2018-19	60.93	Development & maintenance of Green belt during the year.
11	2019-20	51.11	Development & maintenance of Green belt during the year.
12	2020-21	78.96	Development, maintenance of Green belt & related to STP project during the year.
	Total 857.37 Lakh		

PART-I

Any other particulars for improving the quality of the environment.

Total 1150 ha. Mangrove Plantation undertaken along the Gujarat Coast till date as furnished below:

S.No	Financial Year	Covered Area	Location	Consultation with Forest Department/ GEC
1	2009-10	50 ha.	NadaVillage, Jambusar, Bharuch	Gujarat Ecology Commission (GEC), Govt. of Gujarat
2	2010-11	100 ha.	AnkalvaVillage, Hansot, Bharuch	Gujarat Ecology Commission (GEC) , Govt. of Gujarat
3	2011-12	200 ha.	AnkalvaVillage, Hansot, Bharuch	Gujarat Ecology Commission (GEC) , Govt. of Gujarat
4	2012-13	200 ha.	AnkalvaVillage, Hansot, Bharuch	Gujarat Ecology Commission (GEC) , Govt. of Gujarat
		100 ha.	RoniyaBhatha, Nr. Nirma, Bhavanagar	Bhavnagar Forest Division, Govt. of Gujarat
5	2013-14	200 ha.	RoniyaBhatha, Nr.Lock Gate, Bhavanagar	Bhavnagar Forest Division, Govt. of Gujarat
6	2014-15	200 ha.	RoniyaBhatha, Nr.Lock Gate, Bhavanagar	Bhavnagar Forest Division, Govt. of Gujarat
7	2014-15	50 ha.	Kentiyajal, Hansot Bharuch	Bharuch Forest Sub-Division, Govt. of Gujarat
8	2016-17	50 ha.	Gadula Village, Talaja Taluka, Mahuva, Bhavnagar	Bhavnagar Forest Division, Govt. of Gujarat
Total		1150 ha.		

(Signature of person carrying out an industry - operation or process)

Name:

Mr. S B Singh

Designation:

Address:

S.B. Singh ED (Plant Head) Plant Head M/s Petronet LNG Limited Petronet LNG Limited

Plot.7/A, GIDC Industral Estate 392130 Dahej, Taluka Vagra

Bharuch - 392130 Ph. 02641-670299/201





Date: 05/06/2021

PETRONET LING LIMITED
FIRST FLOOR, WORLD TRADE CENTRE, BABAR ROAD
BARAKHAMBA LANE, NEW DELHI
DELHI - 110001
DELHI
DELHI
INDIA
07AAACP8148D1ZI(GSTIN Number)

Policy No: 0304006962 Renewal: 00 Endorsement: 00

Dear Sir / Madam,

We thank you for choosing Tata AIG General Insurance Company Ltd. as your preferred insurer, Your Policy No. Is 0304006962 00 00.

We are glad that you have chosen our product PUBLIC LIABILITY ACT and given us an opportunity to be your risk carrier for this Product.

'Casualty Line' caters to most of the Enterprises / Industries in India, whether Large, Medium or Small. As one of the India's most established insurance companies, we understand these unique needs of coverage. At Tata AIG we care for you and would strive to offer convenience coupled with a range of products that cater continously to your ever increasing needs.

Enclosed please find your policy docket based on the information furnished by you in the Proposal.

We look forward to a long and mutually beneficial relationship and providing you wider range of benefits in the years to come.

Yours Sincerely,

For Tata AIG General Insurance Company Limited

Authorized Signatory

Morcelle



PUBLIC LIABILITY ACT POLICY POLICY SCHEDULE

Agent/Broker Name -DIRECT

Agent/Broker License Code - NA: Agent/Broker: Contact No - 24*7 Tollfree Helpline 1800-266-7780

Attaching to and forming part of Policy No.

0304006962 00 00

Name of Insured Owner:

PETRONET LNG LIMITED

Business:

Indian oil and gas which imports liquefied natural gas and set up LNG terminals in the country

Address:

FIRST FLOOR, WORLD TRADE CENTRE, BABAR ROAD

BARAKHAMBA LANE, NEW DELHI

DELHI - 110001 DELHI DFI HT INDIA

07AAACP8148D1ZI(GSTIN Number)

Place of supply -DELHI State code -07

Territorial limits:

Anywhere in India

Policy Period: From:

From: 02/06/2021 12:00 AM/ PM To Midnight of: 01/06/2022 12:00 AM/ PM

Indemnity limit:Rs 50,000,000.00 in respect of any one accident and not exceeding 3 times thereof in the aggregate during the policy period.

Service Tax Registration No:

Premium

₹ 32,428.40

UGST/SGST @9 %

CGST @9 %

₹ 2,919.00 ₹ 2,919.00

Contribution to the

Environment Relief Fund:₹ 32,428.40

Date of Proposal and declaration:02/06/2021

In witness whereof the undersigned being duly authorized by the company and on behalf of the company has hereto set his hand at DELHI on 05/06/2021

The stamp duty of 0.5 paid in cash or demand draft or by pay order, vide Receipt/Challan no: CSD/291/2021/1192 dated the 24/03/2021

For Tata AIG General Insurance Company Limited

Authorized Signatory

Date:05/06/2021 Place: DELHI

Policy Servicing Office
Tata AIG General Insurance Company Limited
UNIT NOS. 721 & 722,, 7TH FLOOR DLF TOWER B,,DELHI,DELHI,DELHI-110025

Insurance is the subject matter of the solicitation. For more details on risk factors, terms and conditions, please read sales brochure carefully before concluding a sale

Tel No:91-91-7400010485



RECEIPT

Receipt No.: 102001020926189

Receipt Date: 01/06/2021

Policy No: 0304006962 00 00

Received with thanks from PETRONET LNG LIMITED a sum of 70,695.00 (Rupees Seventy Thousand Six Hundred Ninety Five And Paise Zero Only)

Sr. No.	Policy Number	Total Premium (₹)	Utilized from the receipt for policy (₹)	ot for Balance (₹)
1	0304006962 00 00	70,694.80	70,694.80	0.00

Note:

1. This is a computer generated receipt and does not require a signature.

Upon issuance of this Receipt, all previously issued temporary receipts, if any, related to this Policy shall be considered null and void.

3. Amounts received by cheque shall be subject to realisation.

4. Any amount received in excess of the Premium is being/shall be refunded by the Company.

GSTIN: 07AABCT3518Q1ZY - DELHI Service Accounting Code: 997139

Revenue (consolidated) Stamp Duty duly paid vide challan No.CSD/200/2020/3048 date 21/12/2020 for applicable cases.

Insurance is the subject matter of the solicitation. For more details on risk factors, terms and conditions, please read sales brochure carefully before concluding a sale.
TATA AIG General Insurance Company Ltd. Regd. Office: 15th floor, Tower A, Peninsula Business Park, Ganpatrao Kadam Marg, Off Senapati Bapat Marg, Lower Parel, Mumbai-400 013.

IRDA Registration No.108, CIN No: U85110MH2000PLC128425,PAN: AABCT3518Q Website: www.tataaig.com 24X7 Tollfree Helpline 1800-266-7780 E-mail: customersupport@tataaig.com





LIABILITY INSURANCE POLICY (UNDER PUBLIC LIABILITY INSURANCE ACT 1991)

1.OPERATIVE CLAUSE

Whereas the Insured Owner named in the schedule hereto and carrying on business described in the said schedule has applied to the Tata AIG General Insurance Company Limited (hereinafter called the Company) for the indemnity hereinafter contained and has made a written proposal and declaration which shall be the basis of this contract and is deemed to be incorporated herein and has paid the premium and statutory contribution towards the Environment Relief Fund as per the provisions of the Public Liability Insurance Act and the rules framed thereunder.

NOW THIS POLICY WITNESSETH that subject to the terms, exceptions and conditions contained herein or endorsed hereon, the company will indemnify the insured owner against the statutory liability arising out of accidents occurring during the currency of the policy due to handling hazardous substances as provided for in the said Act and the Rules framed thereunder.

2.DEFINITIONS:

- a)"ACT" unless otherwise specifically mentioned shall mean the Public Liability Insurance Act 1991 as amended from time to time;
- b) "Accident" means an accident involving a fortuitous, sudden or unintentional occurrence while handling any hazardous substance resulting in continuous, intermittent or repeated exposure to death of, or injury to any person or damage to any property but does not include an accident by reason only of war or radioactivity;
- c) "Handling" in relation to any harzardous substance means the manufacture, processing, treatment, package, storage, transportation by vehicle, use, collection, destruction, conversion, offering for sale, transfer or the like of such hazardous substance;
- d) "Hazardous Substance" means any substance or preparation which is defined as hazardous substance under the Environment (Protection) Act, 1986, and exceeding such quantity as may be specified, by notification, by the Central Government;
- e)"Owner" means a person who owns, or has control over handling any hazardous substance at the time of accident and includes:
 - i) in the case of a firm any of its partners;
 - ii) in the case of an association, any of its members, and
- iii) in the case of a company, any of its directors, managers, secretaries or other officers who is/are directly in charge of, and is/are responsible to the company for the conduct of the business of the company;
- f) "Turnover" shall mean
- i) Manufacturing units-Annual Gross Sales of all goods including all levies and taxes
- ii) Godowns/ warehouse owners-Total Annual rental receipts.
- iii)Transport Operators-Total Annual freight receipts.
- iv)Others-Total Annual gross receipts.

3. EXCLUSIONS:

- (1) arising out of wilful or intentional non-compliance of any Statutory provisions.
- (2) in respect of fines, penalties, punitive and/or exemplary damages.
- (3) arising under any other legislation except in so far as provided for in Section 8 Sub Section (1) and (2) of the Act.
- (4) in respect of damage to property owned, leased or hired or under hire purchase or on loan to the Insured or otherwise in the Insured Owner's control, care or custody.
- (5) directly or indirectly occasioned by, happening through or in consequence of war, invasion, act of foreign enemy, hostilities (whether war be declared or not), civil war, rebellion, revolution, insurrection or military or usurped power;
- (6) directly or indirectly caused by or contributed to by.
 - (a) ionising radiation or contamination by radioactivity from any nuclear fuel or from any nuclear waste from the combustion of nuclear fuel
 - (b) the radioactive, toxic, explosive or other hazardous properties of any explosive nuclear assembly or nuclear component thereof.

4. CONDITIONS:

The Insured owner shall give written notice to the Company as soon as reasonably practicable of any claim made against the Insured Owner or of any specific event or (1) circumstance that may give rise to a claim. The Insured Owner shall immediately give to the Company copies of notice of applications forwarded by the Collector and all

Insurance is the subject matter of the solicitation. For more details on risk factors, terms and conditions, please read sales brochure carefully before concluding a sale TATA AIG General Insurance Company Ltd. Regd. Office. 15th floor, Tower A, Peninsula Business Park, Ganpatrao Kadam Marg, Off Senapati Bapat Marg, Lower Parel, Mumbai-400 013
IRDA Registration No.108, CIN No.: U85110MH2000PLC128425, PAN. AABCT3518Q, UIN No. IRDAN108CP0058V01201819
Website. www.tataaig.com.24X7.Tollfree Helpline. 1800-266-7780. E-mail. customersupport@tataaig.com.





such additional information and or assistance that the company may require.

- (2) No admission, offer, promise or payments shall be made or given by or on behalf of the Insured owner under this policy without the written consent of the Company.
- (3) The Company shall not be liable for any claim for relief made after five years from the date of occurrence of the accident.
- (4) The Insured Owner shall keep record of annual turnover, and at the time of renewal of insurance declare such turnover and all other details as may be required by the Company. The Company shall at all reasonable times have full rights to call for and examine such records.
- (5) If at the time of happening of any accident resulting in a claim under this policy there be any other insurance covering the same liability, then the Company shall not be liable to pay or contribute more than its ratable proportion of such liability.
- This policy may be cancelled by the Insured Owner by giving 30 days notice in writing to the company in which event the Company will retain premium at short period scale subject to there not having occurred an accident during the policy period which may give rise to a claims(s), failing which no refund of premium shall be allowable.
- (7) This Policy may also be cancelled by the Insurer by giving 30 days notice in writing to the Insured Owner in which event the Company shall be liable to repay on demand a ratable proportion of the premium for the unexpired term from the date of cancellation.
- If the Company shall disclaim liability to the Insured Owner for any claim hereunder and such claim shall not within 12 calendar months from the date of such disclaimer (8) have been made the subject matter of a suit in a competent court of law, then the claim for the practical purposes shall be deemed to have been abandoned and shall not thereafter be recoverable hereunder or be made the subject matter of any suit.
- The Company shall not be liable to make any payment in respect of any claim if such claim shall be in any manner fraudulent or supported, by any person on behalf of the Insured Owner and/or if the insurance has been continued in consequence of any material misstatement or non-disclosure of any material information by or on behalf of the Insured Owner. In such a case if the Company pays any amount to the claimant due to any statutory provision such amount shall be recoverable from the Insured Owner.
- (10) The Policy and the Schedule shall be read together as one contract and any word or expression to which a specific meaning has been assigned in the Act and the Rules framed thereunder or in this Policy shall bear such specific meaning.
- (11) Any dispute regarding interpretation of the terms, conditions and exclusions of this Policy shall be determined in accordance with the law and practice of a court of competent jurisdiction within India.



GRIEVANCE REDRESSAL POLICY

Grievance Lodgment Stage

The Company is committed to extend the best possible services to its customers. However, if you are not satisfied with our services and wish to lodge a complaint, please feel free to contact us through below channels:

Call us 24X7 toll free helpline 1800 266 7780 Email us at customersupport@tataaig.com Write to us at: Customer Support, Tata AIG General Insurance Company Limited A-501 Building No.4 IT Infinity Park, Dindoshi, Malad (E), Mumbai - 400097 Visit the Servicing Branch mentioned in the policy document

Nodal Officer

Please visit our website at www.tataaig.com to know the contact details of the Nodal Officer for your servicing branch.

After investigating the grievance internally and subsequent closure, we will send our response within a period of 10 days from the date of receipt of the complaint by the Company or its office in Mumbai. In case the resolution is likely to take longer time, we will inform you of the same through an interim reply.


For lack of a response or if the resolution still does not meet your expectations, you can write to manager.customersupport@tataaig.com. After investigating the matter internally and subsequent closure, we will send our response within a period of 8 days from the date of receipt of your complaint.

Escalation Level 2

For lack of a response or if the resolution still does not meet your expectations, you can write to the Head-Customer Services at head.customerservices@tataaig.com. After examining the matter, we will send you our response within a period of 7 days from the date of receipt of your complaint. Within 30 days of lodging a complaint with us, if you do not get a satisfactory response from us and you wish to pursue other avenues for redressal of grievances, you may approach Insurance Ombudsman appointed by IRDA under the Insurance Ombudsman Scheme. Given below are details of the Insurance Ombudsman located at various centers.

List of Insurance Ombudsman Offices

Office of the Ombudsman	Address & Contact details	Jurisdiction of Office Union Territory, District
AHMEDABAD	Office of the Insurance Ombudsman, Jeevan Prakash Building, 6th Floor, Tilak Marg, Relief Road, Ahmedabad - 380 001. Tel.: 079 - 25501201/02/05/06 Email: bimalokpal.ahmedabad@ecoi.co.in	Gujarat, Dadra & Nagar Haveli, Daman and Diu.
BENGALURU	Office of the Insurance Ombudsman, Jeevan Soudha Building, PID No. 57-27-N-19 Ground Floor, 19/19, 24th Main Road, JP Nagar, Ist Phase, Bengaluru – 560 078. Tel.: 080 - 26652048 / 26652049 Email: bimalokpal.bengaluru@ecoi.co.in	Karnataka
BHOPAL	Office of the Insurance Ombudsman, Janak Vihar Complex, 2nd Floor, 6, Malviya Nagar, Opp. Airtel Office, Near New Market, Bhopal – 462 003. Tel.: 0755 - 2769201 / 2769202 Fax: 0755 - 2769203 Email: bimalokpal.bhopal@ecoi.co.in	Madhya Pradesh Chattisgarh
BHUBANESHWA	ROffice of the Insurance Ombudsman, 62, Forest park, Bhubneshwar - 751 009. Tel.: 0674 - 2596461 /2596455 Fax: 0674 - 2596429 Email: bimalokpal.bhubaneswar@ecoi.co.in	Orissa
CHANDIGARH	Office of the Insurance Ombudsman, S.C.O. No. 101, 102 & 103, 2nd Floor, Batra Building, Sector 17 – D, Chandigarh - 160 017. Tel.: 0172 - 2706196 / 2706468 Fax: 0172 - 2708274 Email: bimalokpal.chandigarh@ecoi.co.in	Punjab, Haryana, Himachal Pradesh, Jammu & Kashmir, Chandigarh
CHENNAI	Office of the Insurance Ombudsman, Fatima Akhtar Court, 4th Floor, 453, Anna Salai, Teynampet, CHENNAI - 600 018. Tel.: 044 - 24333668 / 24335284 Fax: 044 - 24333664 Email : bimalokpal.chennai@ecoi.co.in	Tamil Nadu, Pondicherry Town and Karaikal (which are part of Pondicherry).
DELHI	Office of the Insurance Ombudsman, 2/2 A, Universal Insurance Building, Asaf Ali Road, New Delhi – 110 002, Tel.: 011 - 23239633 / 23237532 Fax: 011 - 23230858 Email: bimalokpal.delhi@ecoi.co.in	Dellii
GUWAI IATI	Office of the Insurance Ombudsman, Jeevan Nivesh, 5th Floor, Nr. Panbazar over bridge, S.S. Road, Guwahati – 781001(ASSAM). Tel.: 0361 - 2132204 / 2132205 Fax: 0361 - 2732937 Email: bimalokpal.guwahati@ecoi.co.in	Assam, Meghalaya, Manipur, Mizoram, Arunachal Pradesh, Nagaland and Tripura
HYDERABAD	Office of the Insurance Ombudsman, 6-2-46, 1st floor, "Moin Court", Lane Opp. Saleem Function Palace, A. C. Guards, Lakdi-Ka-Pool, Hyderabad - 500 004. Tel.: 040 - 65504123 / 23312122 Fax: 040 - 23376599 Email: bimalokpal.hyderabad@ecoi.co.in	Andhra Pradesh, Telangana, Yanam and part of Territory of Pondicherry.
JAIPUR	Office of the Insurance Ombudsman, Jeevan Nidhi – II Bldg., Gr. Floor, Bhawani Singh Marg, Jaipur-302 005. Tel.: 0141 - 2740363 Email: Bimalokpal.jaipur@ecoi.co.in	Rajasthan
ERNAKULAM	Office of the Insurance Ombudsman, 2nd Floor, Pulinat Bldg., Opp. Cochin Shipyard, M. G. Road, Ernakulam - 682 015, Tel.: 0484 - 2358759 / 2359338 Fax: 0484 - 2359336 Email : bimalokpal.ernakulam@ecoi.co.in	Kerala, Lakshadweep, Mahe-a part of Pondicherry
KOLKATA	Office of the Insurance Ombudsman, Hindustan Bldg. Annexe, 4th Floor, 4, C.R. Avenue, KOLKATA-700 072. Tel.: 033 - 22124339 / 22124340 Fax: 033 - 22124341 Email: bimalokpal.kolkata@ecoi.co.in	West Bengal, Sikkim, Andaman & Nicobar Islands
LUCKNOW	Office of the Insurance Ombudsman, 6th Floor, Jeevan Bhawan, Phase-II, Nawal Kishore Road, Hazratganj, Lucknow - 226 001. Tel.: 0522 - 2231330 / 2231331 Fax: 0522 - 2231310 Email : bimalokpal.lucknow@ecoi.co.in	Districts of Uttar Pradesh: Laitpur, Jhasi, Mahoba, Hamirpur, Banda, Chitrakoot, Allahabad, Mirzapur, Sonbhabdra, Fatehpur, Pratapgarh, Jaunpur, Varanasi, Gazipur, Jalaun, Kanpur, Lucknow, Unnao, Sitapur, Lakhimpur, Bahraich, Barabanki, Raebareli, Sravasti, Gonda, Faizabad, Amethi, Kaushambi, Balrampur, Basti, Ambedkarnagar, Sultanpur, Maharajgang, Santkabirnagar, Azamgarh, Kushinagar, Gorkhpur, Deoria, Mau, Ghazipur, Chandauli, Ballia, Sidharathnagar








MUMBAI	Office of the Insurance Ombudsman, 3rd Floor, Jeevan Seva Annexe, S. V. Road, Santacruz (W), Mumbai - 400 054. Tel.: 022 - 26106552 / 26106960 Fax: 022 - 26106052 Email : bimalokpal.mumbai@ecoi.co.in	Goa, Mumbai Metropolitan Region excluding Navi Mumbai & Thane
NOIDA	Office of the Insurance Ombudsman, Bhagwan Sahai Palace, 4th Floor, Main Road, Naya Bans, Sector 15, Distt: Gautam Buddh Nagar, U.P-201301. Tel.: 0120-2514250 / 2514252 / 2514253 Email: bimalokpal.noida@ecoi.co.in	State of Uttaranchal and the following Districts of Uttar Pradesh: Agra, Aligarh, Bagpat, Bareilly, Bijnor, Budaun, Bulandshehar, Etah, Kanooj, Mainpuri, Mathura, Meerut, Moradabad, Muzaffarnagar, Oraiyya, Pilibhit, Etawah, Farrukhabad, Firozbad, Gautambodhanagar, Ghazaibad, Hardoi, Shahjahanpur, Hapur, Shamli, Rampur, Kashganj, Sambhal, Amroha, Hathras, Kanshiramnagar, Saharanpur
PATNA	Office of the Insurance Ombudsman, 1st Floor,Kalpana Arcade Building, Bazar Samiti Road, Bahadurpur, Patna 800 006. Tel.: 0612-2680952 Email:bimalokpal.patna@ecoi.co.in	Bihar, Jharkhand
PUNE	Bhagwan Sahai Palace, 4th Floor, Main Road, Naya Bans, Sector 15, G.B. Nagar, Noida. NOIDA – 201301 Tel: 0120-2514250/51/53 Email: bimalokpal.noida@gbic.co.in	Maharashtra, Area of Navi Mumbai and Thane excluding Mumbai Metropolitan Region

Annexure IX Upload of Half Yearly Returns on Company Website



Dahej terminal has received more than 2200 cargoes. The terminal is also offering tolling services to Offtakers & Bulk customers. To cater the small customers who are not having gas pipeline connectivity, Dahej is supplying LNG to such customers which is transported through cryogenic trucks.






- Annual Report (Form IV) as per Elo Medical Waste Management Rules 2016
- Environmental Statement (Form V) for the Fir 2020-21.
- Environmental and CRZ clearance for Installation of Terminal facilities to handle 10 MMTPA of additional LNG at PLL. Dahej
- Environmental Statement (Form V) for the FY 2013-19

MoEF & C	Z Compliance Report	100
Description	Status Report	
Half yearly MoEF & CRZ compliance report for Standby Jetty	30.06.2021	
Half yearly MoEF & CRZ compilance report for Phase III	30.06.2021	
Half yearly MoEF & CRZ compliance report for Phase ()	30.06.2021	
Half yearly MoEF & CRZ compliance report for Phase I	30.06.2021	
Half yearly MoEF & CRZ compliance report for Standby Jetty	31.12.2020	
Half yearly MoEF & CRZ compliance report for Phase III	31.12.2020	
Half yearly MoEF & CRZ compliance report for Phase II	31.12.2020	
Half yearly MoEF & CRZ compliance report for Phase (31,12.2020	
Half yearly McEF & CRZ compliance report for Standby Jetty	30.06.2020	



ANNEXURE X

Mangroves planted in 50 ha. area at NADA Coast during 2009-10




A Conceptor

Mangroves planted in 100 ha. area at Ankalva Coast during 2010-11



Mangroves planted in 200 ha. area at Ankalva Coast during 2011-12



Joseph January


Mangroves planted in 200 ha. area at Ankalva Coast during 2012-13





Some

Mangroves planted in 100 ha. area at Bhavnagar Coast during 2012-13



Genould


Mangroves planted in 200 ha. area at Bhavnagar Coast during 2013-14





1 Burning


Mangroves planted in 200 ha. area at Bhavnagar Coast during 2014-15



Promobile

Mangroves planted in 50 ha. area at at Kentiyajal Coast during 2014-15






Mangroves planted in 50 ha. area at Gadhula, Talaja Coast during 2016-17





Aboventy.



Petronet LNG Limited

Marine Ecological Monitoring report at Offshore, Dahej December 2021











Environment for Development

E: kadamenviro@kadamenviro.com; T:+91-265-6131000

Petronet LNG Limited

Marine Ecological Monitoring report at Offshore, Dahej

© Kadam Environmental Consultants ('Kadam'), December 2021

This report is released for the use of the Petronet LNG Limited, Regulators and relevant stakeholders. Information provided, unless attributed to referenced third parties, is copyrighted and shall not be used for any other purpose without the written consent of Kadam.

	QUALITY CONTROL									
Name of Publication	Marine Ecological Monitoring report at Offshore, Dahej									
Project Number	2150108144	Issue No.	1	Revision No.	0	Released	December 2021			
Prepared by	Manali Rathod	Atter	7	Released by	Mi	itali Khuman	M. K. Khuwem			



TABLE OF CONTENTS

1	IN	ΓRΟ	DUCTION 5	
	1.1	.1	Field Sampling	.5
2	Bio	logi	cal Parameter 6	
	2.1	San	npling Procedure	.6
	2.1	.1	Pigments	. 6
	2.1	.2	Phytoplankton	.6
	2.1	.3	Zooplankton	7
	2.1	.4	Benthos	. 7
	2.2	Me	thod of Analysis	7
	2.3	Res	sults of Biological parameters	8
	2.4		nclusion of Marine Biological Analysis	
3	Ph	ysic	o-Chemical Parameters 12	
	3.1	Sar	mpling Procedure	12
	3.2	Res	sults of Marine water quality	13
	3.3	Coi	nclusion	15
	3.3	.1	Chemical Analysis of Water Sample	15
	3.3	.2	Chemical Analysis of Sediment Sample	15
	3.4	Avi	faunal Diversity	16
	3.5	Ma	ngroves	16
	3.6	Tea	am Members	16

LIST OF TABLES

Table 2-1: Method of Analysis for biological parameters	7
Table 2-2: Pigments in high tide (Surface water) in Marine water	
Table 2-3: Pigments in high tide (Middle water) in Marine water	
Table 2-4: Pigments in high tide (Bottom water) in Marine water	
Table 2-5: Cell count (No x 10³/Lit) of phytoplankton	8
Table 2-6:Standing Stock of Zooplankton	9
Table 2-7: Standing Stock of Sub tidal Macro benthos	9
Table 3-1: Method of Analysis for water parameter	. 12
Table 3-2: Method of Analysis for sediment parameter	. 12
Table 3-3: Chemical Analysis of Marine Water Sample	. 13
Table 3-4: Chemical Analysis of Marine sediment sample	. 15

Sorradu.

1 INTRODUCTION

1.1.1 Field Sampling

Water samples are collected at 8 different locations including subtidal and Intertidal region. Water sample were collected at the surface, Middle and bottom at all sub-tidal stations to study the physic-chemical characteristics of the samples. Samples of sediment is also collected at 8 sampling station for chemical analysis.

Samples for physical and chemical water quality has been collected at 8 locations for 3 different depth (Surface, middle and Bottom). Water Samples to identify biological characteristic (Chlorophyll, Phytoplankton and Zooplankton) and sediment sample to identify benthos diversity has been collected at 8 different locations.

Sediments samples has been collected from 8 different locations to study the physical, chemical and biological characteristics.

Field sampling was carried out during post-monsoon season i.e. November 2021.



2 BIOLOGICAL PARAMETER

Establishment of biological status of an aquatic ecosystem is an essential pre-requisite to assess the impacts of existing as well as proposed developments in the surrounding region. While considering assessment of aquatic environmental changes and its implications, it must be realized that, despite many changes it may cause in the physico-chemical properties of the water body and bed sediment, the ultimate consequences are inevitably of a biological nature. Hence, the investigations of an ecosystem and particularly of its communities constitute an important part of any ecological assessment study. This can be achieved by selecting a few reliable parameters from a complex community structure. These communities Comprise of planktonic organisms which are microscopic and drift with the water currents. They are classified into Phytoplankton and Zooplankton on the basis of their trophic status. Phytoplankton includes all the producer level organisms such as algae, some photosynthetic bacteria which traps sunlight and in presence of CO₂ by a process called photosynthesis, synthesizes energy releasing O₂ in the water body, such transfer of energy from the primary sources through a series of organisms is defined as the food chain. Thus Phytoplankton are major source of productivity in water body can live only in photic zone, where maximum light penetration occurs; whereas Zooplanktons are organisms depending on the Phytoplankton for their existence, can be called as secondary producers since being consumed by higher level of organisms such as fishes etc. Biotic community also include bottom dwelling organisms e.g. Annelids, arthropods, molluscs etc. Benthic organisms being sedentary animals associated with the bed, provide information regarding the integrated effects of stress, if any, and hence are good indicators of early warning of potential damage. The benthic biotic environment, which supports a great composition of floral and faunal community, is defined as "all of bottom terrain from the wave-washed shoreline of flood-tide level to the greatest deeps" (Sverdrup et al, 1942).

2,1 Sampling Procedure

2.1.1 Pigments

The pigments were analysed from known volume of water which was filtered through 0.45 µm filter paper. The filter paper was extracted with 90% acetone. For estimation of chlorophyll and phaeophytin, the acetone extract was spectrophotometrically analysed between 630 and 750nm before and after dilute acid treatment. The pigment concentration was calculated using following formula.

Where 664b and 665a are the absorbance values of the acetone extract before and after acidification, respectively.

2.1.2 Phytoplankton

The phytoplankton samples were collected from the surface of the water column during high tide at all stations by using clean plastic bucket. Hundred liters of seawater sample was concentrated to 250 mL by filtering through plankton net (20 μ m pore size). The concentrated samples were immediately preserved by adding 0.5 mL of 5% buffer formaldehyde and 2 mL of Lugol's iodine at the site itself. In the laboratory the samples were concentrated by using centrifuge and made up to the final volume of 25 ml. Finally concentrated samples were preserved in 5% formalin prepared in seawater. These samples were subjected to qualitative and quantitative

for rould

MARINE MONITORING REPORT

analysis of phytoplankton. For the quantitative estimation, Sedgwick Rafter counting cell was used and for qualitative identification microscopic examination was followed. The standard monographs and other published literature were used for identification (*Husted, 1930; Peragallo, 1965*).

2.1.3 Zooplankton

Zooplankton samples were collected with the help of horizontal haul and in this type of haul at least 30-40 m of towing ropes of the net is gradually paid out as vessel moves in slow speed taking a wide circle in such a way that at least some part of the net ring is visible above water. The depressor is not needed in this type of haul.

After the net comes fully out of the water it may be washed from outside by jetting seawater to bring down all the plankton into the collecting bucket. The washing will also help to removal of mesh-clogging materials so that the net will remain unclogged after every operation. After all the excess water is drained off from the net and through the window of the collecting bucket, the bucket is carefully removed from the net and the plankton, along with the water is poured into a wide mouthed polythene bottle of 500ml capacity up to 3/4th full. Enough concentrated formaldehyde solution to make the medium 5% strong may be added to the plankton immediately after collection.

One of the requirements in quantitative plankton investigation is to know the volume of water filtered. The calculation is based on the length of tow and the mouth area of the net.

2.1.4 Benthos

Macro benthic samples were collected with the help of Grab Sampler. Quantitative samples of the animals inhabiting intertidal sediments are usually taken by (Mouth area size 0.0625 m2) grab. The grab, which is lowered vertically from the stationary boat, capture the epi-fauna and infauna down to the depth excavated by the grab.

Van veen Grab is a small version of the grab used commercially for sand mining, unloading coal, etc. it consist of two buckets hinged together, which are held in the open position while being lowered. When on the bottom, the lowering rope slackens, allowing a release to operate so that on hauling up the two buckets close together before the grab leaves the bottom.

This sample is washed in a container of filtered sea water and sieved through (mesh size 0.5 mm) and the entire content were first stained in Rose Bengal and then preserved in formaldehyde. This will be a survey & study of quantitative distribution of fauna depending on a particular substratum, i.e. rocky fauna, muddy fauna, faunal of algal and grass beds and epi-fauna on sedentary organism.

2.2 Method of Analysis

Table 2-1: Method of Analysis for biological parameters

Sr. No.	Specific Test Performed	Test Method specification against which tests are performed			
1	Chlorophyll	APHA: 10200 F (23rd Edition)			
2	Phytoplankton	APHA: 10200 F (23 rd Edition)			
3	Zooplankton	APHA: 10200 G, I (23rd Edition)			
4	Benthos	APHA: 10500 (23 rd Edition)			



2.3 Results of Biological parameters

The results of Chlorophyll, Phytoplankton, Zooplankton and Benthos are given below.

Table 2-2: Pigments in high tide (Surface water) in Marine water

Sr. no	Parameters		High tide										
		Unit		Surface water									
			ST1	ST2	ST3	ST4	IT1	IT2	IT3	П4			
1	Chlorophyll-a	mg/m³	1.0	1.3	0.9	1.0	0.8	0.9	1.1	1.3			
2	Phaeophytin	mg/m³	0.7	0.8	0.6	0.7	0.5	0.6	0.4	0.5			

Table 2-3: Pigments in high tide (Middle water) in Marine water

Sr.	Parameters					Hig	h tide			
		Unit	Middle water							
			ST1	ST2	ST3	ST4	Π1	IT2	IT3	IT4
1	Chlorophyll-a	mg/m³	0.8	1.0	0.7	1.1	71.00		40	- 15
2	Phaeophytin	mg/m³	0.5	0.4	0.3	0.6	1	9	72	

Table 2-4: Pigments in high tide (Bottom water) in Marine water

Sr. no	Parameters		High tide									
		Unit	Bottom water									
		Ī	ST1	ST2	ST3	ST4	П1	IT2	IT3	П4		
1	Chlorophyll-a	mg/m³	0.9	0.8	0.6	0.7	-	-	4	4		
2	Phaeophytin	mg/m³	0.4	0.3	0.2	0.3	8.	127	-	-		

Table 2-5: Cell count (No x 103/Lit) of phytoplankton

Station	Cell Count (No x 10 ³ /Lit)	Total Genera (No.)	Genera
ST1	24.8	7	Odontella sp., Coscinodiscus sp., Melosira sp., Planktoniella sp., Nitzschia, Thalassiothrix sp., Dinophysis sp.
ST2	27.3	7	Coscinodiscus sp., Nitzschia, Navicula, Thalassiothrix sp., Melosira sp., Planktoniella sp., Diatom
ST3	20.2	8	Coscinodiscus sp., Nitzschia, Planktoniella sp., Chaetoceros, Melosira sp., Thalassiothrix sp. Diatom, Rhizosolenia sp.
ST4	20.0	7	Coscinodiscus sp., Nitzschia, Pleurosigma sp., Melosira sp., Thalassiothrix sp., Diatom, Navicula sp.
IT1	22.5	9	Coscinodiscus sp., Nitzschia, Melosira sp., Thalassiothrix sp., Ceratium sp., Chaetoceros sp., Amphiprora sp., Planktoniella sp., Odontella sp.
П2	25.7	8	Thalassiothrix sp., Coscinodiscus sp., Nitzschia, Melosira sp., Amphiprora sp., Navicula sp., Chaetoceros sp., Planktoniella sp.
щ3	20.6	9	Coscinodiscus sp., Pleurosigma sp., Melosira sp., Diatom, Navicula sp., Nitzschia, Thalassiothrix sp., Chaetoceros sp., Ceratium sp.
IT4	21.7	6	Coscinodiscus sp., Chaetoceros sp., Melosira sp., Odontella sp., Thalassiothrix sp., Amphiprora sp., Nitzschia
	٨	I.B. Low tide	sample were not collected due low water

10 Cools

Table 2-6:Standing Stock of Zooplankton

Station	Biomass (ml/100m³)	Population (No x 10 ³ /Lit)	Total Group (No.)	Major Groups
ST1	5.0	21.6	5	Calanoida, Nauplius Iarvae, Cyclopoida, Tintinnid, Fish Iarvae,
ST2	5.3	23.2	6	Cyclopoida, Tintinnid, Nauplius Iarvae, Calanoida, Herpacticoida, Fish Iarvae
ST3	5.7	22.7	8	Tintinnid, Calanoida, Cyclopoida, Crustacean larvae, Nauplius larvae, Sagitta sp. (Chaetognatha), Fish larvae, Polychaete larvae
ST4	4.8	21.3	6	Tintinnid, Calanoida, Nauplius Iarvae, Sagitta sp. (Chaetognath), Fish Iarvae,
IT1	4.1	22.4	5	Cyclopoida, Calanoida, Tintinnid, Nauplius Iarvae, Fish Iarvae
П2	4.0	20.3	6	Calanoida, Cyclopoida, Fish larvae, Tintinnid, Nauplius Iarvae, Crustacean larvae,
ПЗ	4.6	22.4	8	Tintinnid, Calanoida, Sagitta sp. (Chaetognatha), Cyclopoida, Copepods, Nauplius Iarvae, Fish Iarvae, Polychaete Iarvae
П4	4.2	22.2	7	Fish Iarvae, Tintinnid, Calanoida, Nauplius Iarvae, Sagitta sp. (Chaetognatha), Polychaete Iarvae, Crustacean Iarvae
		N.B. Low tide sap	ole were not collec	ted due to low water level

Table 2-7: Standing Stock of Sub tidal Macro benthos

Biomass (gm/m²)	Population (no./m²)	Total Group (No.)	Major Groups
1.3	360	4	Bivalve, Gastropod, polychaeta, Foraminifera
1.0	380	3	Bivalve, Gastropod, Amphipods
1.8	426	4	Bivalve, polychaeta, Gastropod, Foraminifera
1.4	364	2	Bivalve, Gastropod
1.6	350	3	Bivalve, Gastropod, Amphipods
1.5	320	3	Bivalve, polychaeta, Foraminifera
1.4	402	4	Gastropod, Bivalve, Polychaeta, Foraminifera
1.2	382	3	Foraminifera, Bivalve, Gastropod
	(gm/m²) 1.3 1.0 1.8 1.4 1.6 1.5 1.4	(gm/m²) (no./m²) 1.3 360 1.0 380 1.8 426 1.4 364 1.6 350 1.5 320 1.4 402	(gm/m²) (no./m²) (No.) 1.3 360 4 1.0 380 3 1.8 426 4 1.4 364 2 1.6 350 3 1.5 320 3 1.4 402 4

2.4 Conclusion of Marine Biological Analysis

In the present study the chlorophyll-a concentration was recorded in the coastal water varied between 0.6 and 1.3 mg/m³. In surface water chlorophyll-a recorded in range between 0.4 to 0.8 mg/m³ and in middle water 0.7 to 1.1 mg/m³ were recorded as well as on bottom water 0.6 to 0.9 mg/m³ were recorded. In surface water sample the concentration of chlorophyll-a slightly higher than the middle and bottom water sample, which is indicating good photosynthetic activity of phytoplankton on the surface.


The concentration of phaeophytin varies from 0.2 to 0.8 mg/m³ in all sampling locations.


The phytoplankton sample were collected at eight different locations including sub-tidal and intertidal region at surface water with the help of phytoplankton net. Phytoplankton cell count varies from 20.0 No \times 10 3 /Lit to 27.3 No \times 10 3 /Lit in which the highest cell count was observed at station 2 (ST2) whereas lowest population observed at station 4 (ST4). The common phytoplankton genera are *Coscinodiscus, Melosira sp., Nitzschia and Thalassiothrix sp.*

The zooplankton sample were collected at eight different locations at surface water with the help of zooplankton net. Zooplankton standing stock biomass varies between 4.0 ml/ $100m^3$ to 5.7 ml/ $100m^3$ in which the highest biomass was recorded at Station ST3 (ST3) during high tide whereas lowest at biomass was recorded at Station IT2 (IT2). The zooplankton population varies in range between 20.2 No x 10^3 /L were observed. The highest population also recorded at Station ST2 (ST2). The common zooplankton group is Calanoida, Tintinnid, Fish larvae and Nauplius larvae observed in the present study.

In the benthic organism, highest population and biomass was recorded at location ST3 in sub-tidal region. A common benthos group which is observed at all locations is gastropods, bivalve and foraminifera.

Photograph 2-1: Observed Zooplankton, Phytoplankton and Benthos





3 PHYSICO-CHEMICAL PARAMETERS

3.1 Sampling Procedure

Samples were collected with the help of Niskin Sampler from the different sampling locations.

Table 3-1: Method of Analysis for water parameter

Sr. No.	Specific Test Performed	Test Method specification against which tests are performed			
1	pH	APHA: (4500-H+) 23nd Edition			
2	Temperature	APHA: (2550- B) 23nd Edition			
3	Suspended Solids	APHA: (2540 D) 23nd Edition			
4	Salinity	APHA: (4500 Cl B) 23nd Edition			
5	Dissolved oxygen	APHA: (4500 O- C) 23nd Edition			
6	BOD	IS 3025 (PART-44)			
7	Total Phosphorus	APHA: (4500 P-D)23nd Edition			
8	Total Nitrogen	IS 3025 (PART-34)			
9	Nitrate nitrogen	IS 3025 (PART-34)			
10	Ammonical Nitrogen	IS: 3025 (PP 34)			
11	Nitrite	IS 3025 (PART-34)			
12	Alkalinity	APHA: (2320 B) 23nd Edition			
13	Turbidity	APHA: (2130 B) 23nd Edition			
14	Calcium Carbonate	APHA: (3500-Ca B) 23nd Edition			

Table 3-2: Method of Analysis for sediment parameter

Sr. No.	Parameter	Test Method specification against which tests are performed				
1	Texture	IS 2720 IV (Hydrometer Method)				
2	Total Organic Carbon	Combustion Method				
3	Sulphur	Bomb Calorimeter Method				
4	Phosphoros	IS10158(Part 2):1973				
5	Aluminium	EPA-3050B/APHA 3500 AI-B				
6	Barium	EPA-3050B				
7	Chromium	EPA-3050B				
8	Manganese	EPA-3050B				
9	Iron	EPA-3050B				
10	Cobalt	EPA-3050B				
11	Nickel	EPA-3050B				
12	Copper	EPA-3050B				
13	Zinc	EPA-3050B				
14	Cadmium	EPA-3050B				
15	Mercury	APHA: (3500 Hg) 23rd Edition				
16	Lead	EPA-3050B				
17	Phenol	APHA: (5530 D) 23rd Edition				

APHA: American Public Health Association

PETRONET LNG LIMITED MARINE MONITORING REPORT

3.2 Results of Marine water quality

Table 3-3: Chemical Analysis of Marine Water Sample

S.No.	Parameters	Unit (SI)	Level	ST1	ST2	ST3	ST4	IT1	IT2	ПЗ	IT4
			S	7.56	7.62	7.42	7.65	7.62	7.70	7.70	7.67
1	PH	- 1	М	7.57	7.61	7.53	7.60	L 27		1	
			В	7.67	7.70	7.52	7.67	+		1	9
			S	26.2	26.4	26.1	26.8	26.5	26.5	26.8	26.3
2	Temperature	oC	М	26.1	26.3	26.2	26.4	i i		[B]	6
			В	26.4	26.2	26.5	26.2	-	*	-	-
			S	25	29	24	26	24	29	22	27
3	Suspended	mg/L	M	28	34	32	33	-	-	-	.41
	Solids		В	32	38	26	35	(#)	-	16.7	16
			S	35262	36496	38788	40199	40904	41902	43020	38788
4	Salinity	mg/L	М	36320	36496	40199	36496	-	19		÷
			В	36496	36320	36496	33147		-	8.5	4.
			S	4.4	4.3	4.7	5.1	5	5.1	5.2	5.1
5	Dissolved oxygen	mg/L	M	3,6	3.8	3.6	3.8	-	-	14	-
			В	3.8	3.9	3.8	3.7	-	-		
			S	3.6	3.0	3	4	3.6	4.0	3.8	4.1
6	BOD	mg/L	М	2.8	2.6	2.8	3.8				-
			В	2.2	2.1	2.0	2.6		*	-	74
			S	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
7	Total	mg/L	М	<0.02	<0.02	<0.02	<0.02	-	-	.*	₹>
	Phosphorus] -	В	<0.02	<0.02	<0.02	<0.02	10-	-		-
-			S	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
8	Total Nitrogen	mg/L	М	<0.1	<0.1	<0.1	<0.1				
Ŭ	. 5.6 , 5.56.1		В	<0.1	<0.1	<0.1	<0.1	i i	-	- 6	

PETRONET LNG LIMITED MARINE MONITORING REPORT

S.No.	Parameters	Unit (SI)	Level	ST1	ST2	ST3	ST4	IT1	IT2	ПЗ	IT4
			S	ND							
9	Nitrate nitrogen	mg/L	М	ND	ND	ND	ND	-	100		120
			В	ND	ND	ND	ND	-		*.	16
			S	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
10	Ammonical	mg/L	М	<0.05	<0.05	<0.05	<0.05	14	11.4	-	+
	Nitrogen		В	<0.05	<0.05	<0.05	<0.05	-		-	-
	Nitrite		S	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
11		mg/L	М	<0.1	<0.1	<0.1	<0.1			-	- A
			В	<0.1	<0.1	<0.1	<0.1	-			
			S	150	160	120	170	160	180	180	170
12	Alkalinity	mg/L	М	120	140	130	130	Ψ.	.=	19/	
			В	170	180	140	180	(4)		li-	-
			S	15	17	14	8	12	16	18	16
13	Turbidity	NTU	М	18	20	16	12	-	-	(E	2
	, , , , , , , , , , , , , , , , , , , ,		В	22	23	26	18	-	T G	-	
	Calcium		S	1430	1635	1328	1737	1328	1124	1226	1839
14	Carbonate	mg/L	М	1328	1226	1226	1338	*	-		
			В	1226	1430	1533	1635		9		-



Table 3-4: Chemical Analysis of Marine sediment sample

S. No.	Parameters	Unit (SI)	ST1	ST2	ST3	ST4	1Т1	П2	П3	114
1	Texture	-	Loamy sand	Sandy loam	Sandy Ioam	Sandy Ioam	Sandy Ioam	Sandy loam	Sandy loam	Sand
2	Total Organic Carbon	%	0.51	0.59	0.53	0.46	0.46	0.56	0.51	0.43
3	Sulphur	%	0.23	0.22	0.24	0.58	0.43	0.13	0.08	0.08
4	Phosphorus	gm/kg	0.09	0.15	0.27	0.03	0.15	0.05	0.04	0.21
5	Aluminium	gm/kg	0.003	0.003	0.002	0.007	0.003	0.005	0.003	0.004
6	Barium	gm/kg	ND	ND						
7	Chromium	gm/kg	ND	ND						
8	Manganese	gm/kg	ND	ND						
9	Iron	gm/kg	ND	ND						
10	Cobalt	gm/kg	ND	ND						
11	Nickel	gm/kg	0.010	0.013	0.011	0.009	0.010	0.011	0.012	0.010
12	Copper	gm/kg	0.008	0.010	0.009	0.014	0.011	0.009	0.010	0.012
13	Zinc	gm/kg	ND	ND						
14	Cadmium	gm/kg	ND	ND						
15	Mercury	gm/kg	ND	ND						
16	Lead	gm/kg	ND	ND						
17	Phenol	gm/kg	ND	ND						

3.3 Conclusion

3.3.1 Chemical Analysis of Water Sample


- A pH at all sampling location was recorded from 7.52 to 7.70.
- Temperature at all sampling location was recorded from 26.1 to 26.8 °C.
- Suspended solid in water samples were recorded from 22 mg/l to 38 mg/l.
- Salinity in water samples were recorded from 33147 mg/l to 43020 mg/l.
- DO recorded in range between 3.8 mg/L to 5.2 mg/L and BOD recorded in range from 2 mg/L to 4.1 mg/L.
- Total phosphorous, Total nitrogen, ammonical nitrogen and nitrite concentration observed below detectable range.
- Alkalinity concentration observed in range between 120 mg/L to 180 mg/L.
- Calcium carbonate was recorded in range from 1124 mg/L to 1737 mg/L at all sampling location.
- Turbidity were recorded in range between 8 mg/L to 26 mg/L during present study.

3.3.2 Chemical Analysis of Sediment Sample

- Structure of sediment was mostly sandy loam type at all sampling locations.
- Total organic carbon was recorded in range between 0.43 to 0.59%, while Sulphur concentration was found in range from 0.08 to 0.58%.
- Phosphorous concentration observed in range between 0.03 to 0.27 gm/kg at all sampling location.
- Aluminium concentration found in range from 0.002 to 0.0077 gm/kg, while nickel and copper concentration recorded in range between 0.009 mg/kg to 0.013 mg/kg, 0.008 mg/kg to 0.014 mg/kg, respectively.
- Barium, Chromium, Iron, Cobalt, Cadmium, Zinc, Mercury, lead and phenol were not detectable at all sampling locations.

Asrodut.

Photograph 3-1: Sampling Photographs



3.4 Avifaunal Diversity

Table 3-5: Systematic List of birds in the study area

S. No.	Scientific Name	Common Name	Schedule/ IUCN Category		
1	Aedeola grayii	Pond Heron	IV		
2	Bulbulcus ibis	Cattle Egret	IV		
3 Platalea leucorodia		Spoonbill	IV		
4	Amauronis phoenicurus	White breasted water hen	IV		
5 Vanellus indicus		Red wattled lapwing	IV		
6	Tringa hypoleucos	Common sandpiper	IV		
7	Clamator jacobinus	Pied creasted Cuckoo	IV		

3.5 Mangroves

Scattered patches of small size planted mangroves were observed opposite to light house during the study period and also patches of mangrove vegetation observed in the study area near the Ro-Ro ferry jetty as well as near the mouth of Narmada estuary.

Mangrove flora is dominated by *Avicennia species*. However, no mudflats sustaining dense growth of mangroves have been reported. Nearest mangroves patches were observed at distance of ~1 km in WN direction.

3.6 Team Members

Work presented in this report is done by KEC with active co-operation from Petronet LNG Limited., KEC team members include:

Member 1, Mitali Khuman (Ecologist)

Member 2, Manali Rathod (Ecologist)

Gorande

Member 3, Sapna Amin (Lab – In-charge)


Member 4, Hiralal Prajapati (Monitoring Specialist)

Member 5, Anup Ojha (Monitoring Specialist)

The work was carried out under the overall guidance of Mr. Sameer Kadam (Director)



Annexure-XII EMC Organogram – PLL, Dahej



marken